



HAVELLS

Havells  Lighting

Better light. Better life.

PROFESSIONAL LUMINAIRES
INDUSTRIAL / INSTITUTIONAL



LIST PRICE w.e.f. 1st December, 2019

Lighting with Innovation at Havells

At Havells, we believe light is the fourth dimension of architecture. It can guide and direct. It can also enhance and show objects in its dynamic and marvelous self.

We understand every space needs lighting that is tailor-made for it, enhances it and brings everything to life; and it is this property that has been the hallmark in every product that comes out of our factory.

Our luminaires are not merely tools of illumination but the torchbearers of a new era in lighting. They stand testimony to our strength in manufacturing, from OPTO electronics to LED technology and integrating them in our state-of-the-art plants.

Our customers can rely on every aspect of safety, performance and reliability from our products.

And now we present our latest offerings, designed taking into consideration the feedback received from clients, customers and designers alike:

Office Lighting: Paradigms have been redefined with the advent of open plan offices. We are proud to present our range of lighting products for a brighter and more productive office space.

Street Lights: Smart cities evolving in India demand Next-Gen lighting. Havells street lighting range encompasses all the features that are needed for a more efficient lighting system.

Landscape Lighting: The Havells range of landscape lighting products have been revamped and new products introduced, to keep in sync with market dynamics and needs.

Industrial Lighting: The 'Make in India' initiative has given rise to a new set of high-tech industries all over India. The Havells industrial lighting range aims to provide a wide range of lighting solutions to new and existing industries.

Retail Lighting: Retail shopping is all about experience. With Havells retail lighting, deliver new and exciting experiences to customers..

Solar Lighting: Ambitious solar growth in India demands light fittings that are rugged, durable and in tune with latest industry standards. Our range of solar lighting goes a step ahead. People and the environmental footprint are central to our approach and form the basis of our sustainable policy.

Colorscape (Architectural RGB Lighting): Beautiful aesthetics not only make a place beautiful but also helps to lift the mood. Havells Colorscape RGB Lighting solutions lighting up public spaces and structures for improving their visual quality at night & transforming gloomy spots to a cheerful, inviting and secure places.

Impressions (Architectural Indoor Lighting): As workplace design becomes important for employers, Havells Impressions Range opens up fluid possibilities for architects and designers alike. Impressions Architectural Lighting solutions that offer more comfort, low glare, international styling, better aesthetics and best suitable for architectural designs.

Smart Solutions:

- human centric lighting - Work under the shades of nature and watch your efficiency levels rise!
Tailor light to work in harmony with your natural rhythm
- Connected Lighting for Indoor Spaces- A digital ecosystem that connects lighting & IoT technology. Today's workspaces are a maze, navigating technology and efficiency. As offices become more productive, responsive, efficient and human centric, they demand solutions that offer both flexibility and cost-effectiveness. With Havells Connected Lighting for Smart & Intelligent office solutions, that is unmatched.
- Connected Lighting for outdoor Spaces – Havells innovations now enable all outdoor lighting products and luminaires connected with each other. Real time data mapping and controlling as per requirement. A perfect solutions for a smart city
- Automation & sensor enabled solutions - Havells Connected lighting also offers Day light harvesting, occupancy and motion sensing via in-built sensor based designs for making buildings more efficient.

We combine our innovation and extensive experience to create lighting solutions that makes people feel good not only visually but also emotionally.





QRG TOWERS



HAVELLS

LLOYD

Grabee

SMC

QRG Hyderabad

NO ENTRY

Introduction of Plant



INDEX

PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



Indoor Architectural LED Luminaires

Impressions Range 12-16



Indoor Commercial LED Luminaires

Architectural Range 20-22
Batten 23-24
Retrofit Lamps 25-26
Panel Lighting 27-29
Downlight 30-36
Dimmable Luminaires 37-38



INDEX

PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



Industrial LED Luminaires

Highbay Lights	42-45
Clean Room Lights	46-48




Outdoor LED Luminaires

Flood Lights	52-53
Landscape Lights	54-58
Street Lights	60-61
Colorscape Lights	62-64
Solar Street Lights/Mini Mast	66-67




PRODUCT CODE



EXAMPLES:

PRODUCT NAME	TYPE	MOUNTING	WATTAGE	LED	CCT
BAYBRITESAUCERHB200WLED757WBTOLTG					
BAYBRITESAUCER	HB	P	200 W	LED	757 K
ENDURPEARLSL15WLED757SASYTOPC					
ENDURPEARL	SL	-	15 W	LED	757 K
VENUSNEOHE2X2PLR18-42WLED857MOD					
VENUSNEOHE2X2	PL	R	34 W	LED	857 K

NOMENCLATURE



DRIVER	BEAM	DRIVER COMPARTMENT	TYPE OF DIFFUSER	FINISH
-	WB	TO	LTG	-
S	ASY	TO	PC	-
S	-	-	-	-



Indoor Architectural LED Luminaires

Impressions Range by Havells offers an array of ambient and task lighting options that encourage creative freedom and also facilitates a comfortable work environment. Choose from a variety of suspended and floor standing office luminaires offering- ultimate glare comfort measuring UGR as low as 6, special micro reflector optics to meet LEED and WELL building standards, on board occupancy sensor/ photo sensor/ dimming control, separate control of direct and indirect light thus offering a perfect combo of task and ambient lighting, compatibility with DALI/ 0-10V/ POE/ wireless standards, color tunability improving circadian rhythm and breathtaking aesthetics. It's a comprehensive lighting solution with options that complement your office interiors and create an ambience that spells increased productivity and happiness.

CRESCENT LED

The CRESCENT LED's curved suspended design is a vision of refined beauty and gracefully blends with the architectural elements of any room. With its signature feature, the half-moon shape, this timeless luminaire offers elegant low-glare direct lighting and offers wider light distribution allowing greater uniformity on work planes. Introduce this eye-candy into contemporary spaces and create delight under its soft, direct light.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CRESCENTLTP36WLED840SPCGRY	9405	18500.00	4 N
CRESCENTLTP36WLED857SPCGRY	9405	18500.00	4 N

Fixture size: (LxWxH) in (1200x150x66) mm




MIRAGE PW LED

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Mirage range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 110 lm/W, Mirage PW is a great choice for commercial office spaces, schools, libraries and other interior spaces.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MIRAGEWDILP30WLED840SGRY	9405	31500.00	4 N
MIRAGEWDILP30WLED857SGRY	9405	31500.00	4 N
MIRAGEWDILP43WLED840SGRY	9405	32500.00	4 N
MIRAGEWDILP43WLED857SGRY	9405	32500.00	4 N

Fixture size: (LxWxH) in (1190x160x30) mm




MIRAGE PS D LED

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Mirage range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 100 lm/W, Mirage PS D is a great choice for commercial office spaces, schools, libraries and other interior spaces.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MIRAGESDLP15WLED840SGRY	9405	21500.00	8 N
MIRAGESDLP15WLED857SGRY	9405	21500.00	8 N
MIRAGESDLP25WLED840SGRY	9405	22500.00	8 N
MIRAGESDLP25WLED857SGRY	9405	22500.00	8 N
MIRAGESDLP30WLED840SGRY	9405	22500.00	8 N
MIRAGESDLP30WLED857SGRY	9405	22500.00	8 N
MIRAGESDLP40WLED840SGRY	9405	23500.00	8 N
MIRAGESDLP40WLED857SGRY	9405	23500.00	8 N

Fixture size: (LxWxH) in (1175x38x66) mm




MIRAGE PS DI LED

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Mirage range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 110 lm/W, Mirage PS DI is a great choice for commercial office spaces, schools, libraries and other interior spaces.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MIRAGESDILP25WLED840SGRY	9405	25500.00	8 N
MIRAGESDILP25WLED857SGRY	9405	25500.00	8 N
MIRAGESDILP30WLED840SGRY	9405	25500.00	8 N
MIRAGESDILP30WLED857SGRY	9405	25500.00	8 N
MIRAGESDILP40WLED840SGRY	9405	26500.00	8 N
MIRAGESDILP40WLED857SGRY	9405	26500.00	8 N

Fixture size: (LxWxH) in (1175x38x66) mm



Indoor Architectural LED Luminaires


IMPRESSIONS

TORUS

In a sector commanded by rectangular luminaires, this circular luminaire impresses with an effective height of 70 mm and produces diffused planar and low-glare light. The annular shape further gives the luminaire a sturdy appearance marking entreating attraction.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TORUS600RDP/S25WLED840SPMMAWH	9405	16500.00	4 N
TORUS600RDP/S25WLED857SPMMAWH	9405	16500.00	4 N
MONDOMOUNTINGKITP	9405	550.00	25 N
MONDOMOUNTINGKITS	9405	625.00	25 N

Fixture size: Dia 600 mm, Height 78 mm
Mounting Kits to be ordered separately



MONDO

Energy saving, environmental friendly, long life, decorative, corrosion resistant, surface-suspended luminaires with annular shape and opal diffuser contributing towards impudent identity and delivers an aesthetically appealing.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MONDO400RDP/S25WLED830SPSWH	9405	7950.00	4 N
MONDO400RDP/S25WLED840SPSWH	9405	7950.00	4 N
MONDO400RDP/S25WLED857SPSWH	9405	7950.00	4 N
MONDO600RDP/S36WLED830SPSWH	9405	13950.00	2 N
MONDO600RDP/S36WLED840SPSWH	9405	13950.00	2 N
MONDO600RDP/S36WLED857SPSWH	9405	13950.00	2 N
MONDOMOUNTINGKITP	9405	550.00	25 N
MONDOMOUNTINGKITS	9405	625.00	25 N

Fixture size: Dia 400 mm, Height 70 mm for (400 mm), Dia 600 mm, Height 70 mm for (600 mm)
Mounting Kits to be ordered separately



CONTOUR 2X2

A precisely designed decorative PMMA diffuser 2x2 panel light that unites a creative design with state-of-the-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CONTOUR2X2PLR24WLED830S	9405	6990.00	2 N
CONTOUR2X2PLR24WLED840S	9405	6990.00	2 N
CONTOUR2X2PLR24WLED857S	9405	6990.00	2 N
CONTOUR2X2PLR28WLED830S	9405	6990.00	2 N
CONTOUR2X2PLR28WLED840S	9405	6990.00	2 N
CONTOUR2X2PLR28WLED857S	9405	6990.00	2 N
CONTOUR2X2PLR34WLED830S	9405	6990.00	2 N
CONTOUR2X2PLR34WLED840S	9405	6990.00	2 N
CONTOUR2X2PLR34WLED857S	9405	6990.00	2 N
CONTOUR2X2PLR36WLED830S	9405	6990.00	2 N
CONTOUR2X2PLR36WLED840S	9405	6990.00	2 N
CONTOUR2X2PLR36WLED857S	9405	6990.00	2 N

Fixture size: (LxWxH) in (595x595x86) mm



QUADRO 2X2

A precisely designed decorative PMMA diffuser 2x2 panel light that unites a creative design with state-of-the-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
QUADRO2X2PLR24WLED830S	9405	6990.00	2 N
QUADRO2X2PLR24WLED840S	9405	6990.00	2 N
QUADRO2X2PLR24WLED857S	9405	6990.00	2 N
QUADRO2X2PLR28WLED830S	9405	6990.00	2 N
QUADRO2X2PLR28WLED840S	9405	6990.00	2 N
QUADRO2X2PLR28WLED857S	9405	6990.00	2 N
QUADRO2X2PLR34WLED830S	9405	6990.00	2 N
QUADRO2X2PLR34WLED840S	9405	6990.00	2 N
QUADRO2X2PLR34WLED857S	9405	6990.00	2 N
QUADRO2X2PLR36WLED830S	9405	6990.00	2 N
QUADRO2X2PLR36WLED840S	9405	6990.00	2 N
QUADRO2X2PLR36WLED857S	9405	6990.00	2 N

Fixture size: (LxWxH) in (595x595x88) mm



PETAL 2X2

A precisely designed decorative PMMA diffuser 2x2 panel light that unites a creative design with state-of-the-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PETAL2X2PLR24WLED830S	9405	6990.00	2 N
PETAL2X2PLR24WLED840S	9405	6990.00	2 N
PETAL2X2PLR24WLED857S	9405	6990.00	2 N
PETAL2X2PLR28WLED830S	9405	6990.00	2 N
PETAL2X2PLR28WLED840S	9405	6990.00	2 N
PETAL2X2PLR28WLED857S	9405	6990.00	2 N
PETAL2X2PLR34WLED830S	9405	6990.00	2 N
PETAL2X2PLR34WLED840S	9405	6990.00	2 N
PETAL2X2PLR34WLED857S	9405	6990.00	2 N
PETAL2X2PLR36WLED830S	9405	6990.00	2 N
PETAL2X2PLR36WLED840S	9405	6990.00	2 N
PETAL2X2PLR36WLED857S	9405	6990.00	2 N

Fixture size: (LxWxH) in (595x595x78) mm



FLAT 2X2

A precisely designed decorative PMMA diffuser 2x2 panel light that unites a creative design with state-of-the-art LED technology. The concept of protruded decorative diffusers achieves a great sense of novelty and flexibility with multiple diffuser designs while offering perfect illumination and greater uniformity. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
DROPDOWNFLAT2X2PLR24WLED830S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR24WLED840S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR24WLED857S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR28WLED830S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR28WLED840S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR28WLED857S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR34WLED830S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR34WLED840S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR34WLED857S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR36WLED830S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR36WLED840S	9405	6990.00	2 N
DROPDOWNFLAT2X2PLR36WLED857S	9405	6990.00	2 N

Fixture size: (LxWxH) in (595x595x70) mm



Indoor Architectural LED Luminaires



VENUS NEO HE (UGR<19 PANEL LIGHT)

The Venus Neo HE UGR<19 is a range of low-glare LED recessed panels with UGR<19 and compliance to EN-12464-1. The product features special glare cut optics to ensure low luminaire luminance and is perfect for general and office lighting applications such as workstations, meeting rooms and cabins, corridors and break areas.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
VENUSNEOHE2X2R18-42WLED830MODUGR<19	9405	3750.00	2 N
VENUSNEOHE2X2R18-42WLED840MODUGR<19	9405	3750.00	2 N
VENUSNEOHE2X2R18-42WLED857MODUGR<19	9405	3750.00	2 N
LEDDRIVER36V18WS	9405	685.00	20 N
LEDDRIVER36V20WS	9405	570.00	20 N
LEDDRIVER36V24WS	9405	750.00	20 N
LEDDRIVER36V28WS	9405	750.00	20 N
LEDDRIVER36V34WS	9405	770.00	20 N
L.SPARE LED DRIVER 1000MALD3611000PED	9405	850.00	50 N

Fixture size: (LxWxH) in (595x595x65) mm

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)
Driver packed separately



VENUS NEO HE 42 W SMART PLUS

The Venus Neo HE Smart Plus is a range of LED recessed panels comprising of inbuilt occupancy with photo sensor. The product has a self-learning feature for auto programming and is perfect for general and office lighting applications such as workstations, meeting rooms and cabins, corridors and break areas.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
VENUSNEOHE2X2R42WLED830SMARTPLUS	9405	9900.00	1 N
VENUSNEOHE2X2R42WLED840SMARTPLUS	9405	9900.00	1 N
VENUSNEOHE2X2R42WLED857SMARTPLUS	9405	9900.00	1 N

Fixture size: (LxWxH) in (595x595x65) mm



VENUS NEO HE PIR

The Venus Neo HE PIR is a range of LED recessed panels with inbuilt occupancy sensor. The product has inbuilt capability of switching on/off basis the occupancy in any space and is perfect for general and office lighting applications such as workstations, meeting rooms and cabins, corridors and break areas.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
VENUSNEOHE2X2R18WLED830PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R18WLED840PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R18WLED857PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R20WLED830PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R20WLED840PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R20WLED857PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R24WLED830PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R24WLED840PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R24WLED857PIRSENSOR	9405	4500.00	2 N
VENUSNEOHE2X2R28WLED830PIRSENSOR	9405	4600.00	2 N
VENUSNEOHE2X2R28WLED840PIRSENSOR	9405	4600.00	2 N
VENUSNEOHE2X2R28WLED857PIRSENSOR	9405	4600.00	2 N
VENUSNEOHE2X2R34WLED830PIRSENSOR	9405	4600.00	2 N
VENUSNEOHE2X2R34WLED840PIRSENSOR	9405	4600.00	2 N
VENUSNEOHE2X2R34WLED857PIRSENSOR	9405	4600.00	2 N
VENUSNEOHE2X2R36WLED830PIRSENSOR	9405	4600.00	2 N
VENUSNEOHE2X2R36WLED840PIRSENSOR	9405	4600.00	2 N
VENUSNEOHE2X2R36WLED857PIRSENSOR	9405	4600.00	2 N

Fixture size: (LxWxH) in (595x595x65) mm



VENUS NEO TUNABLE WHITE

The Venus Neo tunable white is a range of color tunable LED recessed panels that support "Human Centric Lighting". The product features color tuning from 3000 K to 6500 K with precise control on tuning and dimming and is perfect for applications such as office workstations, meeting rooms and cabins, hospitals, classrooms etc.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
VENUSNEOTW2X2PLR42WLEDTWMOD	9405	4125.00	2 N
LEDDRIVERCOMBO-TW-30V1A-ANA-DIM	9405	4600.00	1 N
BLUETOOTH1-10VCONV42W	9405	3200.00	1 N
DRACO 850 RF Comp-2Ch	9405	5000.00	1 N
RF REMOTER TW CONTROL	9405	950.00	1 N

Fixture size: (LxWxH) in (595x595x65) mm
 Ordering: For Bluetooth (LEDDRIVERCOMBO-TW-30V1A-ANA-DIM + BLUETOOTH1-10VCONV42W)
 For RF: (DRACO 850 RF Comp-2Ch + RF REMOTER TW CONTROL)
Driver/Controller packed separately



MIRAGE F LED

Mirage F is a freestanding luminaire designed to suit to your individual requirements at the workplace. It features a choice of freestanding or table clamped unit with near to invisible light source and clean-cut aesthetics. This product features special micro reflector optics with minimalistic and highly efficient design meeting the requirements of uniform illumination of individual work planes/ cabins. Mirage F also features specially developed touch control panel for individual on/off, dimming and color tuning thus making 'Human Centric Lighting' accessible to all users with efficacy up to 110 lm/W. Mirage F is a great choice for private offices, high-end cabins and individual workstations.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MIRAGEDILFS80WLED80CGRY	9405	135000.00	1 N

Fixture size: (WxH) in (1056x1950) mm







Indoor Commercial LED Luminaires

Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

DESTELLO SUSPENDED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded suspended light gives continuous lines of light distribution with the possibility of various shapes (suspension system included).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
DESTELLO50LP/S25WLED840SPMMAWH	9405	6650.00	4 N
DESTELLO50LP/S25WLED857SPMMAWH	9405	6650.00	4 N
DESTELLO50LP/S36WLED840SPMMAWH	9405	7250.00	4 N
DESTELLO50LP/S36WLED857SPMMAWH	9405	7250.00	4 N
DESTELLO70LP/S25WLED840SPMMAWH	9405	7650.00	4 N
DESTELLO70LP/S25WLED857SPMMAWH	9405	7650.00	4 N
DESTELLO70LP/S36WLED840SPMMAWH	9405	8250.00	4 N
DESTELLO70LP/S36WLED857SPMMAWH	9405	8250.00	4 N
3COREMAINSCABLE1.5MTRWH	9405	300.00	50 N
JOININGKITFORDESTELLO50P/S/DI	9405	200.00	25 N
JOININGKITFORDESTELLO70P/S	9405	200.00	25 N

Fixture size: (LxWxH) in (1137x53x76) mm for (50 mm), (1137x73x86) mm for (70 mm)

Joining kit and Mains cable to be ordered separately

Also available in 61 cm and 243 cm length - refer TDS for ordering codes



DESTELLO RECESSED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded recessed light meant for POP/Gypsum ceilings gives continuous lines of light distribution with the possibility of various shapes (recess mounting clamps included).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
DESTELLO50LR25WLED840SPMMAWH	9405	6650.00	4 N
DESTELLO50LR25WLED857SPMMAWH	9405	6650.00	4 N
DESTELLO50LR36WLED840SPMMAWH	9405	7250.00	4 N
DESTELLO50LR36WLED857SPMMAWH	9405	7250.00	4 N
DESTELLO70LR25WLED840SPMMAWH	9405	7650.00	4 N
DESTELLO70LR25WLED857SPMMAWH	9405	7650.00	4 N
DESTELLO70LR36WLED840SPMMAWH	9405	8250.00	4 N
DESTELLO70LR36WLED857SPMMAWH	9405	8250.00	4 N
3COREMAINSCABLE1.5MTRWH	9405	300.00	50 N
JOININGKITFORDESTELLO50/70R	9405	200.00	25 N

Fixture size: (LxWxH) in (1148x67x73) mm for (50 mm), (1148x89x86) mm for (70 mm)

Joining kit and Mains cable to be ordered separately

Also available in 61 cm and 243 cm length - refer TDS for ordering codes




DESTELLO SUSPENDED DIRECT-INDIRECT

Uniquely clean & simple lighting system offering, uniform lines of light across ceilings. The aluminum extruded direct-indirect light effect gives homogenous light distribution effect & enhances the visual comfort (suspension system included).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
DESTELLDILP36WLED840SPMMAWH	9405	8650.00	4 N
DESTELLDILP36WLED857SPMMAWH	9405	8650.00	4 N
3COREMAINSCABLE1.5MTRWH	9405	300.00	50 N
JOININGKITFORDESTELLO50P/S/DI	9405	200.00	25 N

Fixture size: (LxWxH) in (1136x54x74) mm

Joining kit and Mains cable to be ordered separately



Indoor Commercial LED Luminaires

ARCHITECTURAL RANGE

SABER

SABER LED merges classic styling with cutting edge technology to provide quality illumination and superior optical control. Use of direct/ indirect LED light engines makes it excellent choice for low height ceiling applications and areas where ceiling uniformity and indirect lighting is important (suspension system included).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SABERLP36WLED840SPMMAWH	9405	10950.00	2 N
SABERLP36WLED857SPMMAWH	9405	10950.00	2 N
3COREMAINSCABLE1.5MTRWH	9405	300.00	50 N
JOININGKITFOR SABER	9405	275.00	25 N

Fixture size: (LxWxH) in (1283x163x46) mm
Joining kit and Mains cable to be ordered separately



LICON

LICON LED merges classic styling with cutting edge technology to provide quality illumination and superior optical control. Use of direct/ indirect LED light engines makes it excellent choice for low height ceiling applications and areas where ceiling uniformity and indirect lighting is important (secondary suspension kit included).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
LICONLP36WLED840SPCGRY	9405	8650.00	1 N
LICONLP36WLED857SPCGRY	9405	8650.00	1 N
LICONSUSKITWITHMAINSCABLE	9405	375.00	1 N

Fixture size: (LxWxH) in (1206x170x40) mm
Primary suspension kit with mains cable to be ordered separately



TECHZONE

Uniquely clean & simple lighting system offering continuous light for Armstrong Techzone ceiling system. The minimal design offers outstanding visual comfort with end to end seamless integration

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TZLR25WLED840SPSWH1195	9405	6350.00	2 N
TZLR25WLED857SPSWH1195	9405	6350.00	2 N
TZLR36WLED840SPSWH1195	9405	6450.00	2 N
TZLR36WLED857SPSWH1195	9405	6450.00	2 N
TZLR48WLED840SPSWH1195	9405	6650.00	2 N
TZLR48WLED857SPSWH1195	9405	6650.00	2 N
JOININGKIT TZ	9405	177.00	50 N
SUSPENSIONKIT TZ	9405	300.00	25 N

Fixture size: (LxWxH) in (1195x145x65) mm



WINGO

Specially designed direct-indirect transparent optical system which provides sufficient light levels on work plane and at the same time illuminating the ceiling with a harmonious and pleasant appearance.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
WINGOLP40WLED830SPMMABLK	9405	13500.00	1 N
WINGOLP40WLED840SPMMABLK	9405	13500.00	1 N
WINGOLP40WLED857SPMMABLK	9405	13500.00	1 N

Fixture size: (LxWxH) in (1112x280x48) mm



Indoor Commercial LED Luminaires


ARCHITECTURAL RANGE

CONSTA LED

Suspended architectural LED luminaire provides soft-light and glare free symmetrical illumination (with continuous mounting end cap).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CONSTA544LP20WLED830SPCWH	9405	2780.00	4 N
CONSTA544LP20WLED840SPCWH	9405	2780.00	4 N
CONSTA544LP20WLED857SPCWH	9405	2780.00	4 N
CONSTA1144LP20WLED830SPCWH	9405	3950.00	4 N
CONSTA1144LP20WLED840SPCWH	9405	3950.00	4 N
CONSTA1144LP20WLED857SPCWH	9405	3950.00	4 N
CONSTA1144LP40WLED830SPCWH	9405	4750.00	4 N
CONSTA1144LP40WLED840SPCWH	9405	4750.00	4 N
CONSTA1144LP40WLED857SPCWH	9405	4750.00	4 N

Fixture size: (LxWxH) in (602x106x57) mm (for 20 W) & (1200x104x61) mm (for 20 W/40 W)



Indoor Commercial LED Luminaires

BATTEN

LUMILINE

Basic all purpose surface and wall mounted LED batten with polycarbonate housing & integrated electronic driver having THD<20%.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
LUMILINEBS9WLED830SPCWH	9405	450.00	25 N
LUMILINEBS9WLED840SPCWH	9405	450.00	25 N
LUMILINEBS9WLED865SPCWH	9405	450.00	25 N
LUMILINEBS18WLED830SPCWH	9405	530.00	25 N
LUMILINEBS18WLED840SPCWH	9405	530.00	25 N
LUMILINEBS18WLED865SPCWH	9405	530.00	25 N
LUMILINEBS20WLED830SPCWH	9405	550.00	25 N
LUMILINEBS20WLED840SPCWH	9405	550.00	25 N
LUMILINEBS20WLED865SPCWH	9405	550.00	25 N

Fixture size: (LxWxH) in (600x25x40) mm (for 9 W), (1150x25x40) mm (for 18 W) & (1150x25x40) mm (for 20 W)
NOTE: SUITABLE FOR DOMESTIC APPLICATION ONLY



LUMILINE PLUS

Basic all purpose surface and wall mounted LED batten with Aluminum housing & integrated electronic driver having THD<20%.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
LUMILINEPLUSBS10WLED865SPCSS	9405	515.00	20 N
LUMILINEPLUSBS18WLED865SPCSS	9405	705.00	20 N
LUMILINEPLUSBS20WLED865SPCSS	9405	715.00	20 N
LUMILINEPLUSBS22WLED865SPCSS	9405	730.00	20 N
LUMILINEPLUSBS24WLED865SPCSS	9405	745.00	20 N

Fixture size: (LxWxH) in (592x23x37) mm (for 10W), (1182x23x37) mm (for 18 W / 20 W / 22 W / 24 W)



ENDURA LINEAR NEO

Surface and wall mounted LED batten, extruded aluminium housing provided for efficient heat dissipation with polycarbonate diffuser & integrated electronic driver with industrial grade heavy duty driver having THD<10%.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURALINEARNEOBS10WLED830SPCWH	9405	975.00	10 N
ENDURALINEARNEOBS10WLED840SPCWH	9405	975.00	10 N
ENDURALINEARNEOBS10WLED865SPCWH	9405	975.00	10 N
ENDURALINEARNEOBS20WLED830SPCWH	9405	1335.00	10 N
ENDURALINEARNEOBS20WLED840SPCWH	9405	1335.00	10 N
ENDURALINEARNEOBS20WLED865SPCWH	9405	1335.00	10 N
ENDURALINEARNEOBS22WLED830SPCWH	9405	1385.00	10 N
ENDURALINEARNEOBS22WLED840SPCWH	9405	1385.00	10 N
ENDURALINEARNEOBS22WLED865SPCWH	9405	1385.00	10 N

Fixture size: (LxWxH) in (600x108x62) mm (for 10 W) & (1200x108x62) mm (for 20 W / 22 W)



STOUT PLUS

Stout Plus LED is a complete range of industrial LED battens to replace traditional T8 battens (600 mm & 1200 mm) with industrial grade heavy duty driver having THD<10%. The range is perfect for lighting large areas such as corridors, warehouses & general purpose spaces.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
STOUTPLUS600BS20WLED840SPCWH	9405	2550.00	4 N
STOUTPLUS600BS20WLED857SPCWH	9405	2550.00	4 N
STOUTPLUS1200BS40WLED840SPCWH	9405	3650.00	4 N
STOUTPLUS1200BS40WLED857SPCWH	9405	3650.00	4 N

Fixture size: (LxWxH) in (605x66x76) mm for 20 W, (1205x66x76) mm for 40 W



STOUT MINI

Surface /Suspended and wall mounted LED batten, CRCA housing provided for efficient heat dissipation with polycarbonate diffuser & built-in electronic driver having THD<10%.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
STOUTMINI1200BS20WLED865SPCWH	9405	2350.00	4 N
STOUTMINI1200BS40WLED865SPCWH	9405	2650.00	4 N

Fixture size: (LxWxH) in (1224x43x58) mm



DURA BATTEN

Surface and wall mounted LED batten, extruded aluminium housing provided for efficient heat dissipation with polycarbonate diffuser & integrated electronic driver having THD<10%.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
DURABS40WLED830SPCSS	9405	1695.00	20 N
DURABS40WLED840SPCSS	9405	1695.00	20 N
DURABS40WLED865SPCSS	9405	1695.00	20 N

Fixture size: (LxWxH) in (1213x29.5x36) mm



Indoor Commercial LED Luminaires

RETROFIT LAMPS

REGAL BATTEN FOR LED TUBE

Universal batten for T5 and T8 lamps.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
REGALBATTENT8UPTO1X22WSSBSWH	9405*	335.00	10 N
REGALBATTENT8UPTO2X22WSSBSWH	9405*	390.00	10 N
REGALBATTENT8UPTO1X22WDSBSWH	9405*	335.00	10 N
REGALBATTENT8UPTO2X22WDSBSWH	9405*	390.00	10 N
REGALBATTENT5UPTO1X18WDSBSWH	9405*	335.00	10 N

LED TUBES TO BE ORDERED SEPARATELY



CRYSTAL GLASS LED TUBELIGHT (Double Side Connection)

Ultra bright glass LED Tubelight with very high efficacy suited for installation in existing T8 fitting with G13 lamp holders.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CRYSTAL1213T8DSTL13WLED865SGLASS	9405	410.00	20 N
CRYSTAL1213T8DSTL15WLED865SGLASS	9405	410.00	20 N
CRYSTAL1213T8DSTL18WLED865SGLASS	9405	415.00	20 N
CRYSTAL1213T8DSTL20WLED865SGLASS	9405	425.00	20 N



PHOTON ULTRA LED TUBELIGHT (Single Side Connection)

Ultra bright LED polycarbonate Tubelight with very high efficacy suited for installation in existing T8 fitting with G13 lamp holders having driver with THD<20%.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PHOTONULTRA603T8SSTL10WLED865SPC	9405	460.00	10 N
PHOTONULTRA1213T8SSTL13WLED865SPC	9405	660.00	25 N
PHOTONULTRA1213T8SSTL15WLED865SPC	9405	670.00	25 N
PHOTONULTRA2.01213T8SSTL18WLED865SPC	9405	675.00	25 N
PHOTONULTRA2.01213T8SSTL20WLED865SPC	9405	685.00	25 N



PHOTON ULTRA PLUS LED TUBELIGHT (Single Side Connection)

Ultra bright LED polycarbonate Tubelight with THD<10% with very high efficacy suited for installation in existing T8 fitting with G13 lamp holders.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PHOTONULTRA+603T8SSTL10WLED865SPC	9405	585.00	10 N
PHOTONULTRA+1213T8SSTL13WLED865SPC	9405	740.00	25 N
PHOTONULTRA+1213T8SSTL15WLED865SPC	9405	745.00	25 N
PHOTONULTRA2.01213T8SSTL18WLED865SPC	9405	750.00	25 N
PHOTONULTRA2.01213T8SSTL20WLED865SPC	9405	755.00	25 N



TITANIA NEO LED TUBELIGHT (Single Side Connection)

Ultra bright integrated aluminum heat sink LED Tubelight with high efficacy suited for installation in existing T8 fitting with G13 lamp holders having driver with THD<15%.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TITANIA NEO1213T8SSTL18WLED865SPC	9405	775.00	20 N
TITANIA NEO1213T8SSTL20WLED865SPC	9405	785.00	20 N



Indoor Commercial LED Luminaires

RETROFIT LAMPS

TITANIA SLEEK NEW T5 LED TUBELIGHT (Double Side Connection)

Ultra bright LED Tubelight with aluminium heat sink & polycarbonate diffuser having high efficacy suited for installation in existing T5 fitting with G5 lamp holders, LED driver outside.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TITANIASLEEK549T5DSTL9WLED865SPC	9405	690.00	20 N
TITANIASLEEK1149T5DSTL18WLED865SPC	9405	925.00	25 N



PHOTON ULTRA PL-L

Ultra bright LED PL-L with very high efficacy suited for installation in existing 2G11 lamp holders.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PHOTONULTRAPLL222TL9WLED865SPC	9405	650.00	25 N
PHOTONULTRAPLL419TL18WLED865SPC	9405	740.00	25 N



LED FLEXI STRIP

Flexible LED strip uses high brightness SMD LED as the light source for indoor application only. It is highly suitable for cove-lighting, decorative lighting etc.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
FLEXISTRIP5MIP2024V/1ALED830S	9405	1150.00	10 N
FLEXISTRIP5MIP2024V/1ALED840S	9405	1150.00	10 N
FLEXISTRIP5MIP2024V/1ALED865S	9405	1150.00	10 N
FLEXISTRIP5MIP2024V/2ALED830S	9405	1550.00	10 N
FLEXISTRIP5MIP2024V/2ALED840S	9405	1550.00	10 N
FLEXISTRIP5MIP2024V/2ALED865S	9405	1550.00	10 N
Const.Voltage 24V 1A LED Driver upto 24 W	9405	750.00	1 N
Const.Voltage 24V 2A LED Driver upto 48 W	9405	1350.00	1 N



Indoor Commercial LED Luminaires

PANEL LIGHTING

VENUS NEO HE 2X2

Ultra modern designed architectural LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
VENUSNEOHE2X2PLR18-42WLED830MOD	9405	2870.00	2 N
VENUSNEOHE2X2PLR18-42WLED840MOD	9405	2870.00	2 N
VENUSNEOHE2X2PLR18-42WLED857MOD	9405	2870.00	2 N
VENUSNEOHE2X2PLR18-42WLED865MOD	9405	2870.00	2 N
LEDDRIVER36V18WS	9405	685.00	20 N
LEDDRIVER36V24WS	9405	750.00	20 N
LEDDRIVER36V28WS	9405	750.00	20 N
LEDDRIVER36V34WS	9405	770.00	20 N
LEDDRIVER36V36WS	9405	770.00	20 N
L.SPARE LED DRIVER 1000MALD36I1000PED	9405	850.00	50 N

Fixture size: (LxWxH) in (595x595x65) mm for 2x2

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY

Driver packed separately



VENUS NEO HE 4X1

Ultra modern designed architectural LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
VENUSNEOHE4X1PLR28WLED830S	9405	3400.00	2 N
VENUSNEOHE4X1PLR28WLED840S	9405	3400.00	2 N
VENUSNEOHE4X1PLR28WLED857S	9405	3400.00	2 N
VENUSNEOHE4X1PLR36WLED830S	9405	3700.00	2 N
VENUSNEOHE4X1PLR36WLED840S	9405	3700.00	2 N
VENUSNEOHE4X1PLR36WLED857S	9405	3700.00	2 N

Fixture size: (LxWxH) in (1180x280x70) mm for 4x1



PLUTO NEO PANEL 2X2

Environmental friendly, new generation, aesthetically designed, ultra modern recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PLUTONEO2X2PLR28WLED840S	9405	4480.00	2 N
PLUTONEO2X2PLR28WLED857S	9405	4480.00	2 N
PLUTONEO2X2PLR34WLED840S	9405	4570.00	2 N
PLUTONEO2X2PLR34WLED857S	9405	4570.00	2 N
PLUTONEO2X2PLR42WLED840S	9405	4840.00	2 N
PLUTONEO2X2PLR42WLED857S	9405	4840.00	2 N

Fixture size: (LxWxH) in (595x595x70) mm



PLUTO NEO PANEL 4X1

Environmental friendly, new generation, aesthetically designed, ultra modern recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PLUTONEO4X1PLR30WLED840S	9405	5050.00	2 N
PLUTONEO4X1PLR30WLED857S	9405	5050.00	2 N
PLUTONEO4X1PLR36WLED840S	9405	5050.00	2 N
PLUTONEO4X1PLR36WLED857S	9405	5050.00	2 N

Fixture size: (LxWxH) in (1195x295x70) mm



PLUTO 2X1

High efficacy 2x1 recess LED flat panel with high brightness LED for glare-free homogenous illumination. Also for POP ceilings (supplied with wedge brackets)

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PLUTO2X1PLR20WLED840S	9405	3600.00	2 N
PLUTO2X1PLR20WLED857S	9405	3600.00	2 N
PLUTO2X1PLR28WLED840S	9405	3800.00	2 N
PLUTO2X1PLR28WLED857S	9405	3800.00	2 N

Fixture size: (LxWxH) in (595x295x70) mm




PLUTO 1X1

High efficacy 1x1 recess LED flat panel with high brightness LED for glare-free homogenous illumination. Also for POP ceilings (supplied with wedge brackets).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PLUTO1X1PLR15WLED840S	9405	2105.00	1 N
PLUTO1X1PLR15WLED857S	9405	2105.00	1 N

Fixture size: (LxWxH) in (295x295x70) mm



STRATO 2X2

LED edge-lit luminaire suitable for armstrong/grid ceiling complete for low ceiling applications.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
STRATO2X2PLR36WLED830MOD	9405	3285.00	4 N
STRATO2X2PLR36WLED840MOD	9405	3285.00	4 N
STRATO2X2PLR36WLED857MOD	9405	3285.00	4 N
LEDDRIVER36V36WS	9405	770.00	40 N

Fixture size: (LxWxH) in (595x595x11) mm

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)
Driver packed separately



SCOOP

Innovative direct/indirect luminaire suitable for armstrong/grid ceiling with high brightness LEDs and conical de-glaring prism center panel for efficient down light.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SCOOP2X2PLR34WLED840S	9405	6300.00	2 N
SCOOP2X2PLR34WLED857S	9405	6300.00	2 N

Fixture size: (LxWxH) in (595x595x70) mm



Indoor Commercial LED Luminaires

PANEL LIGHTING

PLUTO PANEL (SURFACE)

Aesthetically designed 1x1, 2x2 & 4x1 LED flat panel for surface mounting which provides soft-light and glare free symmetrical illumination.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
PLUTOSURFACE1X1PLS15WLED840S	9405	2240.00	1 N
PLUTOSURFACE1X1PLS15WLED857S	9405	2240.00	1 N
PLUTOSURFACE2X2PLS34WLED840S	9405	5020.00	4 N
PLUTOSURFACE2X2PLS34WLED857S	9405	5020.00	4 N
PLUTOSURFACE2X2PLS42WLED840S	9405	5380.00	4 N
PLUTOSURFACE2X2PLS42WLED857S	9405	5380.00	4 N
PLUTOSURFACE4X1PLS34WLED840S	9405	5550.00	2 N
PLUTOSURFACE4X1PLS34WLED857S	9405	5550.00	2 N
PLUTOSURFACE4X1PLS42WLED840S	9405	5650.00	2 N
PLUTOSURFACE4X1PLS42WLED857S	9405	5650.00	2 N


Fixture size: (LxWxH) in (300x300x70) mm for (1x1), (600x600x70) mm for (2x2), (1200x300x70) mm for (4x1)



ALUMINIUM FRAME FOR POP/GYPSUM BOARD 2X2 PANEL LIGHT

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ALFRAME2X2POP/GBR	9405	1025.00	2 N

Frame size: (LxWxH) in (600x600x70) mm



ORBIT

Ultra bright compact 5W LED downlighter with high efficacy LEDs, ideally suited for low ceiling areas to give glare free light (IP44 from front only).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ORBITDLR5WLED830S	9405	690.00	12 N
ORBITDLR5WLED840S	9405	690.00	12 N
ORBITDLR5WLED857S	9405	690.00	12 N

Ceiling cutout: Ø 95 mm, height 83 mm



RISE

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish with drop down PC diffuser with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
RISEDLR15WLED830S	9405	1690.00	12 N
RISEDLR15WLED840S	9405	1690.00	12 N
RISEDLR15WLED857S	9405	1690.00	12 N

Ceiling cutout: Ø 155 mm, height 45 mm



INTEGRA NEO

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integrated driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
INTEGRANEODLR10WLED830S	9405	850.00	12 N
INTEGRANEODLR10WLED840S	9405	850.00	12 N
INTEGRANEODLR10WLED857S	9405	850.00	12 N
INTEGRANEODLR12WLED840S	9405	1105.00	08 N
INTEGRANEODLR12WLED857S	9405	1105.00	8 N
INTEGRANEODLR15WLED830S	9405	1130.00	8 N
INTEGRANEODLR15WLED840S	9405	1130.00	8 N
INTEGRANEODLR15WLED857S	9405	1130.00	8 N
INTEGRANEODLR18WLED830S	9405	1695.00	6 N
INTEGRANEODLR18WLED840S	9405	1695.00	6 N
INTEGRANEODLR18WLED857S	9405	1695.00	6 N
INTEGRANEODLR24WLED830S	9405	1750.00	6 N
INTEGRANEODLR24WLED840S	9405	1750.00	6 N
INTEGRANEODLR24WLED857S	9405	1750.00	6 N

Ceiling cutout: Ø 90 mm, height 90 mm Attachment 10 W

Ceiling cutout: Ø 138 mm, height 90 mm for 12 W/15 W

Ceiling cutout: Ø 175 mm, height 92 mm for 18 W/24 W



INTEGRA GRAND

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integrated driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
INTEGRAGRANDDLRL10WLED830S	9405	1150.00	12 N
INTEGRAGRANDDLRL10WLED840S	9405	1150.00	12 N
INTEGRAGRANDDLRL10WLED857S	9405	1150.00	12 N
INTEGRAGRANDDLRL15WLED830S	9405	1650.00	12 N
INTEGRAGRANDDLRL15WLED840S	9405	1650.00	12 N
INTEGRAGRANDDLRL15WLED857S	9405	1650.00	12 N

Ceiling cutout: Ø 175 mm, height 92 mm



Indoor Commercial LED Luminaires

DOWNLIGHTS

INTEGRA HE

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integral electronic low THD (<10%) LED driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
INTEGRAHEDLR7WLED830S	9405	950.00	12 N
INTEGRAHEDLR7WLED840S	9405	950.00	12 N
INTEGRAHEDLR7WLED857S	9405	950.00	12 N
INTEGRAHEDLR10WLED830S	9405	1050.00	8 N
INTEGRAHEDLR10WLED840S	9405	1050.00	8 N
INTEGRAHEDLR10WLED857S	9405	1050.00	8 N
INTEGRAHEDLR12WLED830S	9405	1300.00	8 N
INTEGRAHEDLR12WLED840S	9405	1300.00	8 N
INTEGRAHEDLR12WLED857S	9405	1300.00	8 N
INTEGRAHEDLR15WLED830S	9405	1350.00	8 N
INTEGRAHEDLR15WLED840S	9405	1350.00	8 N
INTEGRAHEDLR15WLED857S	9405	1350.00	8 N
INTEGRAHEDLR18WLED830S	9405	1895.00	6 N
INTEGRAHEDLR18WLED840S	9405	1895.00	6 N
INTEGRAHEDLR18WLED857S	9405	1895.00	6 N
INTEGRAHEDLR21WLED830S	9405	1930.00	6 N
INTEGRAHEDLR21WLED840S	9405	1930.00	6 N
INTEGRAHEDLR21WLED857S	9405	1930.00	6 N
INTEGRAHEDLR24WLED830S	9405	1950.00	6 N
INTEGRAHEDLR24WLED840S	9405	1950.00	6 N
INTEGRAHEDLR24WLED857S	9405	1950.00	6 N

Ceiling cutout: Ø 138 mm, height 90 mm for 7 W/10 W/12 W/15 W
Ceiling cutout: Ø 175 mm, height 90 mm for 18 W/24 W



ENDURA HO

Endura HO is a highly efficient downlight with efficacy of 100 lm/W designed to replace CFL luminaire solutions. With its IP44 rating, the range is perfect for corridors, WCs, high public circulation areas and reception areas. EMI /EMC, CE Compliant Product.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAHODLR12WLED830MOD	9405	890.00	12 N
ENDURAHODLR12WLED840MOD	9405	890.00	12 N
ENDURAHODLR12WLED857MOD	9405	890.00	12 N
LEDDRIVER12/15WENDURAHOCO	9405	670.00	20 N
ENDURAHODLR15WLED830MOD	9405	1055.00	12 N
ENDURAHODLR15WLED840MOD	9405	1055.00	12 N
ENDURAHODLR15WLED857MOD	9405	1055.00	12 N
LEDDRIVER12/15WENDURAHOCO	9405	670.00	20 N
ENDURAHODLR21WLED830MOD	9405	1400.00	12 N
ENDURAHODLR21WLED840MOD	9405	1400.00	12 N
ENDURAHODLR21WLED857MOD	9405	1400.00	12 N
LEDDRIVER21/25WENDURAHOCO	9405	790.00	20 N
ENDURAHODLR25WLED830MOD	9405	1530.00	12 N
ENDURAHODLR25WLED840MOD	9405	1530.00	12 N
ENDURAHODLR25WLED857MOD	9405	1530.00	12 N
LEDDRIVER21/25WENDURAHOCO	9405	790.00	20 N

Ceiling cutout: Ø 145 mm, height 45 mm for 12 W. Ceiling cutout Ø 175 mm, height 55 mm for 15 W
Ceiling cutout: Ø 205 mm, height 60 mm for 21 W. Ceiling cutout Ø 225 mm, height 65 mm for 25 W

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)
Driver packed separately



EDGEPRO ROUND

The Edgepro range of Slim-Fit low profile downlights are engineered to deliver superior light output and uniformity utilising the latest edge-lit LED technology. An ideal solution where ceiling voids are limited but high lumen output is required.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
EDGEPRORDDLR6WLED840S	9405	750.00	1 N
EDGEPRORDDLR6WLED857S	9405	750.00	1 N
EDGEPRORDDLR12WLED840S	9405	1150.00	1 N
EDGEPRORDDLR12WLED857S	9405	1150.00	1 N
EDGEPRORDDLR15WLED840S	9405	1400.00	1 N
EDGEPRORDDLR15WLED857S	9405	1400.00	1 N
EDGEPRORDDLR18WLED840S	9405	1720.00	1 N
EDGEPRORDDLR18WLED857S	9405	1720.00	1 N

Ceiling cutout: Ø 105 mm, height 16 mm for 6 W. Ceiling cutout: Ø 160 mm, height 16 mm for 12 W
Ceiling cutout: Ø 180 mm, height 16 mm for 15 W. Ceiling cutout: Ø 210 mm, height 16 mm for 18 W



EDGEPRO SQUARE

The Edgepro range of Slim-Fit low profile downlights are engineered to deliver superior light output and uniformity utilising the latest edge-lit LED technology. An ideal solution where ceiling voids are limited but high lumen output is required.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
EDGEPROSQDLR6WLED840S	9405	750.00	1 N
EDGEPROSQDLR6WLED857S	9405	750.00	1 N
EDGEPROSQDLR12WLED840S	9405	1150.00	1 N
EDGEPROSQDLR12WLED857S	9405	1150.00	1 N
EDGEPROSQDLR15WLED840S	9405	1400.00	1 N
EDGEPROSQDLR15WLED857S	9405	1400.00	1 N
EDGEPROSQDLR18WLED840S	9405	1720.00	1 N
EDGEPROSQDLR18WLED857S	9405	1720.00	1 N

Ceiling cutout: 105x105 mm, height 16 mm for 6 W
Ceiling cutout: 160x160 mm, height 16 mm for 12 W
Ceiling cutout: 180x180 mm, height 16 mm for 15 W
Ceiling cutout: 210x210 mm, height 16 mm for 18 W



ENDURA NEO HE DL SURFACE

Surface mounted LED downlighter with white powder coated aluminium housing with integrated electronic driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURANEOHESURFACEDLS15WLED840S	9405	1835.00	10 N
ENDURANEOHESURFACEDLS15WLED857S	9405	1835.00	10 N
ENDURANEOHESURFACEDLS18WLED840S	9405	2100.00	10 N
ENDURANEOHESURFACEDLS18WLED857S	9405	2100.00	10 N
ENDURANEOHESURFACEDLS21WLED840S	9405	2250.00	10 N
ENDURANEOHESURFACEDLS21WLED857S	9405	2250.00	10 N

Fixture size in Ø 234 mm, Height 57 mm



Indoor Commercial LED Luminaires

DOWNLIGHTS

INTEGRA NEO (SURFACE)

Surface mounted downlight with white powder coated polycarbonate decorative housing and pressure die-cast heat sink having high efficiency with heavy duty driver having THD<10%.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
INTEGRANEOSURFACEDLS10WLED830S	9405	1295.00	12 N
INTEGRANEOSURFACEDLS10WLED840S	9405	1295.00	12 N
INTEGRANEOSURFACEDLS10WLED857S	9405	1295.00	12 N
INTEGRANEOSURFACEDLS15WLED830S	9405	1395.00	12 N
INTEGRANEOSURFACEDLS15WLED840S	9405	1395.00	12 N
INTEGRANEOSURFACEDLS15WLED857S	9405	1395.00	12 N

Fixture size in Ø 200 mm, Height 69 mm



SPARKLE PRO SNOOT

Recess mounted LED wall washers, tilted 70° outwards and swivels 360° to offer best illumination on the wall and retail displays.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SPARKLEPROSNOOTDLR20W830MOD30DWHITNEEM	9405	4275.00	18 N
SPARKLEPROSNOOTDLR20W840MOD30DWHITNEEM	9405	4275.00	18 N
SPARKLEPROSNOOTDLR20W857MOD30DWHITNEEM	9405	4275.00	18 N
L.SPARE LED DRIVER 15W 36V 360mA	9405	630.00	20 N
SPARKLEPROSNOOTDLR30W830MOD38DWHITNEEM	9405	5760.00	12 N
SPARKLEPROSNOOTDLR30W840MOD38DWHITNEEM	9405	5760.00	12 N
SPARKLEPROSNOOTDLR30W857MOD38DWHITNEEM	9405	5760.00	12 N
L.SPARE PLUTO DRIVER CC I/P 28W30V-840mA	9405	900.00	20 N

Ceiling cutout: Ø 140 mm, height 140 mm for 20 W. Ceiling cutout: Ø 175 mm, height 170 mm for 30 W

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



NOVA BRITE

Deep recessed antiglare LED downlight for general and accent lighting. The premium reflector matches the ceiling and accentuates the architecture of the area without compromising the light output.


Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
NOVABRITELMR10WLED830MOD24D	9405	1285.00	1 N
NOVABRITELMR10WLED840MOD24D	9405	1285.00	1 N
NOVABRITELMR10WLED857MOD24D	9405	1285.00	1 N
TLDLRDFIXATTACHPLBLK	9405	1100.00	1 N
TLDLRDFIXATTACHPLWHT	9405	1100.00	1 N
TLDLSQFIXATTACHPLBLK	9405	1100.00	1 N
TLDLSQFIXATTACHPLWHT	9405	1100.00	1 N
DLRDFIXATTACHPLWHT	9405	750.00	1 N
DLSQFIXATTACHPLWHT	9405	750.00	1 N
WWSQASYMFXATTACHPLWHT	9405	750.00	1 N
WWRDASYMFXATTACHPLWHT	9405	750.00	1 N
LED Driver Cylindro surface/pendant 10W	9405	650.00	1 N

Ceiling cutout (for Round): Ø 92 mm, height 112 mm

Ceiling cutout (for Square): 85x78 mm, height 112 mm

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



SPARKLE PRO ADJUSTABLE

Recess mounted adjustable LED downlights made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SPARKLEPROADJDLR8W830MOD40DWHTEEM	9405	1085.00	30 N
SPARKLEPROADJDLR8W840MOD40DWHTEEM	9405	1085.00	30 N
SPARKLEPROADJDLR8W857MOD40DWHTEEM	9405	1085.00	30 N
LEDDRIVER8WS	9405	615.00	20 N
SPARKLEPROADJDLR12W830MOD40DWHTEEM	9405	1755.00	30 N
SPARKLEPROADJDLR12W840MOD40DWHTEEM	9405	1755.00	30 N
SPARKLEPROADJDLR12W857MOD40DWHTEEM	9405	1755.00	30 N
LEDDRIVER15WS	9405	630.00	20 N
SPARKLEPROADJDLR20W830MOD40DWHTEEM	9405	2580.00	20 N
SPARKLEPROADJDLR20W840MOD40DWHTEEM	9405	2580.00	20 N
SPARKLEPROADJDLR20W857MOD40DWHTEEM	9405	2580.00	20 N
LEDDRIVER24WS	9405	635.00	20 N
SPARKLEPROADJDLR30W830MOD40DWHTEEM	9405	3450.00	10 N
SPARKLEPROADJDLR30W840MOD40DWHTEEM	9405	3450.00	10 N
SPARKLEPROADJDLR30W857MOD40DWHTEEM	9405	3450.00	10 N
SPARKLEPROADJDLR30W840MOD40DBLKNEEM	9405	3450.00	10 N
L.SPARE PLUTO DRIVER CC I/P 28W30V-840mA	9405	900.00	20 N

Ceiling cutout: Ø 75 mm, height 55 mm for 8 W. Ceiling cutout: Ø 85 mm, height 70 mm for 12 W
Ceiling cutout: Ø 120 mm, height 90 mm for 20 W. Ceiling cutout: Ø 150 mm, height 98 mm for 30 W

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



SPARKLE PRO FIX

Recess mounted fixed LED downlight made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SPARKLEPROFIXDLR8W830MOD40DWHTEEM	9405	930.00	30 N
SPARKLEPROFIXDLR8W840MOD40DWHTEEM	9405	930.00	30 N
SPARKLEPROFIXDLR8W857MOD40DWHTEEM	9405	930.00	30 N
LEDDRIVER8WS	9405	615.00	20 N
SPARKLEPROFIXDLR12W830MOD40DWHTEEM	9405	1445.00	30 N
SPARKLEPROFIXDLR12W840MOD40DWHTEEM	9405	1445.00	30 N
SPARKLEPROFIXDLR12W857MOD40DWHTEEM	9405	1445.00	30 N
LEDDRIVER15WS	9405	630.00	20 N
SPARKLEPROFIXDLR20W830MOD40DWHTEEM	9405	2040.00	20 N
SPARKLEPROFIXDLR20W840MOD40DWHTEEM	9405	2040.00	20 N
SPARKLEPROFIXDLR20W857MOD40DWHTEEM	9405	2040.00	20 N
LEDDRIVER24WS	9405	635.00	20 N
SPARKLEPROFIXDLR30W830MOD40DWHTEEM	9405	3200.00	8 N
SPARKLEPROFIXDLR30W840MOD40DWHTEEM	9405	3200.00	8 N
SPARKLEPROFIXDLR30W857MOD40DWHTEEM	9405	3200.00	8 N
L.SPARE PLUTO DRIVER CC I/P 28W30V-840mA	9405	900.00	20 N
SPARKLEPROFIXDLR45W830MOD60DWHTEEM	9405	3950.00	8 N
SPARKLEPROFIXDLR45W840MOD60DWHTEEM	9405	3950.00	8 N
SPARKLEPROFIXDLR45W857MOD60DWHTEEM	9405	3950.00	8 N
L.SPARE LED DRIVER 45W 36V 1100mA	9405	1200.00	20 N

Ceiling cutout: Ø 80 mm, height 60 mm for 8 W. Ceiling cutout: Ø 105 mm, height 65 mm for 12 W
Ceiling cutout: Ø 130 mm, height 75 mm for 20 W. Ceiling cutout: Ø 185 mm, height 95 mm for 30 W
Ceiling cutout: Ø 215 mm, height 110 mm for 45 W

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



Indoor Commercial LED Luminaires

DOWNLIGHTS

SPIRIT

A minimalistic & versatile lighting source that offers a wide range of application with different aperture for same lamp unit. The lamp is deep recessed into the fixture to provide a glare-free solution.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SPIRITLAMPUNITDLR10WLED827MOD24D	9405	1870.00	6 N
SPIRITLAMPUNITDLR10WLED840MOD24D	9405	1870.00	6 N
SPIRITLAMPUNITDLR10WLED827MOD38D	9405	1870.00	6 N
SPIRITLAMPUNITDLR10WLED840MOD38D	9405	1870.00	6 N
LEDDRIVER10WS	9405	510.00	6 N
SPIRITLAMPUNITDLR15WLED827MOD24D	9405	1980.00	6 N
SPIRITLAMPUNITDLR15WLED840MOD24D	9405	1980.00	6 N
SPIRITLAMPUNITDLR15WLED827MOD38D	9405	1980.00	6 N
SPIRITLAMPUNITDLR15WLED840MOD38D	9405	1980.00	6 N
LEDDRIVER15WS	9405	630.00	6 N
SPIRITATTACHMENTRD-DDL10WWHT	9405	130.00	6 N
SPIRITATTACHMENTRD-OVALDL10WWHT	9405	130.00	6 N
SPIRITATTACHMENTRD-ODL10WWHT	9405	130.00	6 N
SPIRITATTACHMENTRD-SYMDL10WWHT	9405	130.00	6 N
SPIRITATTACHMENTRD-ASYMDL10WWHT	9405	130.00	6 N
SPIRITATTACHMENTSQ-ODL10WWHT	9405	130.00	6 N
SPIRITATTACHMENTRD-DDL15WWHT	9405	165.00	6 N
SPIRITATTACHMENTRD-OVALDL15WWHT	9405	165.00	6 N
SPIRITATTACHMENTRD-ODL15WWHT	9405	165.00	6 N
SPIRITATTACHMENTRD-SYMDL15WWHT	9405	165.00	6 N
SPIRITATTACHMENTRD-ASYMDL15WWHT	9405	165.00	6 N
SPIRITATTACHMENTSQ-ODL15WWHT	9405	165.00	6 N

Ceiling cutout Ø 80 mm, height 85 mm Attachment 10 W

Ceiling cutout Ø 100 mm, height 85 mm for 15 W

ORDERING : MODULE + DRIVER (DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



Attachment RD-D



Attachment RD-Oval



Attachment RD-O



Attachment RD-ASYM



Attachment RD-SYM



Attachment SQ-O

SCUBA TRACK LIGHT

Track based spot light with high efficiency reflector makes it ideal for lighting-up retail spaces with bright and crisp light throw. Suitable for 3 circuit-4 wire universal tracks.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SCUBA35W930S55DBLK	9405	7500.00	4 N
SCUBA35W940S55DBLK	9405	7500.00	4 N
SCUBA35W865S55DBLK	9405	7500.00	4 N
SCUBA35W930S55DWHT	9405	7500.00	4 N
SCUBA35W940S55DWHT	9405	7500.00	4 N
SCUBA35W865S55DWHT	9405	7500.00	4 N



CYLINDRO TRACK LIGHT

With the high power LED, CYLINDRO offers various luminous intensity levels from 1500-3500 Lumen which is the perfect alternate to conventional HID lamps. Suitable for 3 circuit-4 wire universal tracks.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CYLINDROTS15WLED830S3WIRE38DWHT	9405	4620.00	30 N
CYLINDROTS15WLED840S3WIRE38DWHT	9405	4620.00	30 N
CYLINDROTS15WLED857S3WIRE38DWHT	9405	4620.00	30 N
CYLINDROTS15WLED830S3WIRE38DBLK	9405	4620.00	30 N
CYLINDROTS15WLED840S3WIRE38DBLK	9405	4620.00	30 N
CYLINDROTS15WLED857S3WIRE38DBLK	9405	4620.00	30 N
CYLINDROTS15WLED830S3WIRE38DGRY	9405	4620.00	30 N
CYLINDROTS15WLED840S3WIRE38DGRY	9405	4620.00	30 N
CYLINDROTS15WLED857S3WIRE38DGRY	9405	4620.00	30 N
CYLINDROTS25WLED830S3WIRE38DWHT	9405	5700.00	18 N
CYLINDROTS25WLED840S3WIRE38DWHT	9405	5700.00	18 N
CYLINDROTS25WLED857S3WIRE38DWHT	9405	5700.00	18 N
CYLINDROTS25WLED830S3WIRE38DBLK	9405	5700.00	18 N
CYLINDROTS25WLED840S3WIRE38DBLK	9405	5700.00	18 N
CYLINDROTS25WLED857S3WIRE38DBLK	9405	5700.00	18 N
CYLINDROTS25WLED830S3WIRE38DGRY	9405	5700.00	18 N
CYLINDROTS25WLED840S3WIRE38DGRY	9405	5700.00	18 N
CYLINDROTS25WLED857S3WIRE38DGRY	9405	5700.00	18 N
CYLINDROTS35WLED830S3WIRE38DWHT	9405	7250.00	12 N
CYLINDROTS35WLED80S3WIRE38DWHT	9405	7250.00	12 N
CYLINDROTS35WLED857S3WIRE38DWHT	9405	7250.00	12 N
CYLINDROTS35WLED830S3WIRE38DBLK	9405	7250.00	12 N
HONEYCOMBATTACHMENT15W	9405	170.00	8 N
HONEYCOMBATTACHMENT25W/35W	9405	170.00	8 N

Size: Dia 70 mm, Length 180 mm, Height 212 mm for 15 W

Size: Dia 90 mm, Length 206 mm, height 212 mm for 25 W

Size: Dia 90 mm, Length 216 mm, height 222 mm for 35 W



TRACK ACCESSORIES

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
1MTR3PHASETTRACKTSWHT	9405	2300.00	-
2MTR3PHASETTRACKTSWHT	9405	4250.00	-
1MTR3PHASETTRACKTSBLK	9405	2300.00	-
2MTR3PHASETTRACKTSBLK	9405	4250.00	-
ISHAPECONNECTOR3PHASETSWHT	9405	765.00	-
LSHAPECONNECTOR3PHASETSWHT	9405	975.00	-
ISHAPECONNECTOR3PHASETSBLK	9405	765.00	-
LSHAPECONNECTOR3PHASETSBLK	9405	975.00	-
ADJUSTABLESUSPENSIONKITTSWHT	9405	715.00	-



Indoor Commercial LED Luminaires

DOWNLIGHTS

CYLINDRO PRO SURFACE/PENDANT

Surface/pendant downlight with white/black powder coated polycarbonate housing and pressure die-cast heat sink having high efficiency.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CYLINDROPROPENDDLP15WLED830S45DBLK	9405	3800.00	20 N
CYLINDROPROPENDDLP15WLED840S45DBLK	9405	3800.00	20 N
CYLINDROPROPENDDLP15WLED857S45DBLK	9405	3800.00	20 N
CYLINDROPROPENDDLP25WLED830S45DBLK	9405	4500.00	18 N
CYLINDROPROPENDDLP25WLED840S45DBLK	9405	4500.00	18 N
CYLINDROPROPENDDLP25WLED857S45DBLK	9405	4500.00	18 N
CYLINDROPROSURFDLS15WLED830S45DBLK	9405	3700.00	20 N
CYLINDROPROSURFDLS15WLED840S45DBLK	9405	3700.00	20 N
CYLINDROPROSURFDLS15WLED857S45DBLK	9405	3700.00	20 N
CYLINDROPROSURFDLS25WLED830S45DBLK	9405	4400.00	18 N
CYLINDROPROSURFDLS25WLED840S45DBLK	9405	4400.00	18 N
CYLINDROPROSURFDLS25WLED857S45DBLK	9405	4400.00	18 N

Fixture size in Ø 110 mm, height 120 mm



CYLINDRO PRO SURFACE

Surface mounted downlight with white powder coated polycarbonate housing and pressure die-cast heat sink having high efficiency.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CYLINDROPROSURFDLS35WLED830S45DWHT	9405	6850.00	12 N
CYLINDROPROSURFDLS35WLED840S45DWHT	9405	6850.00	12 N
CYLINDROPROSURFDLS35WLED857S45DWHT	9405	6850.00	12 N
CYLINDROPROSURFDLS45WLED830S45DWHT	9405	7950.00	8 N
CYLINDROPROSURFDLS45WLED840S45DWHT	9405	7950.00	8 N
CYLINDROPROSURFDLS45WLED857S45DWHT	9405	7950.00	8 N

Fixture size in Ø 110 mm, height 120 mm



INTEGRA GRAND/NEO 15 W

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integrated driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
INTEGRAGRANDDL15WLED840MOD	9405	1215.00	6 N
INTEGRAGRANDDL15WLED857MOD	9405	1215.00	6 N
INTEGRANEODLR15WLED840MOD	9405	850.00	8 N
INTEGRANEODLR15WLED857MOD	9405	850.00	8 N
DALIDRIVERNM80V/160MA	9405	3800.00	20 N

Ceiling cutout: Ø 175 mm, height 92 mm

ORDERING : MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



ENDURA DL NEO 15 W

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver compatible for Analog/DALI Dimming.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURANEODLR15WLED840MOD	9405	1215.00	12 N
ENDURANEODLR15WLED857MOD	9405	1215.00	12 N
DALIDRIVER15WD	9405	4250.00	20 N
ANALOGDRIVERNM12/15W	9405	1000.00	20 N

Ceiling cutout: Ø 155 mm, height 45 mm

ORDERING : MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



ENDURA DL NEO 25 W

Recess mounted LED downlighter elegantly designed pressure die-cast Al. heat sink for efficient heat dissipation and separate replaceable electronic driver compatible for Analog/DALI Dimming.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURANEODLR25WLED840MOD	9405	1735.00	8 N
ENDURANEODLR25WLED857MOD	9405	1735.00	8 N
DALIDRIVER25WD	9405	4250.00	20 N
ANALOGDRIVERNM21/25W	9405	1000.00	20 N

Ceiling cutout: Ø 180 mm, height 68 mm for 25 W

ORDERING : MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



VENUS NEO 2X2

New generation recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling compatible for Analog / DALI Dimming.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
VENUSNEO2X2PLR18-48WLED830MOD	9405	2870.00	2 N
VENUSNEO2X2PLR18-48WLED840MOD	9405	2870.00	2 N
VENUSNEO2X2PLR18-48WLED857MOD	9405	2870.00	2 N
VENUSNEO2X2PLR18-48WLED865MOD	9405	2870.00	2 N
DALIDRIVERSQ10-50V/800MA10161099	9405	4250.00	40 N
LEDDRIVER36WANALOG	9405	1850.00	20 N

Fixture size: (LxWxH) in (595x595x65) mm

ORDERING : MODULE + DRIVER (DIMMABLE DRIVER TO BE ORDERED SEPARATELY)

Driver packed separately



Indoor Commercial LED Luminaires

DIMMABLE LUMINAIRES PORTFOLIO

SPARKLE PRO ADJUSTABLE (DALI Driver to be ordered separately)

Recess mounted adjustable LED downlights made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SPARKLEPROADJDLR12W830MOD40DWHNTNEEM	9405	1085.00	20 N
SPARKLEPROADJDLR12W840MOD40DWHNTNEEM	9405	1085.00	20 N
SPARKLEPROADJDLR12W857MOD40DWHNTNEEM	9405	1085.00	20 N
DALIDRIVERSQ10-50V/300MA10181251	9405	3800.00	30 N
SPARKLEPROADJDLR20W830MOD40DWHNTNEEM	9405	1085.00	20 N
SPARKLEPROADJDLR20W840MOD40DWHNTNEEM	9405	1085.00	20 N
SPARKLEPROADJDLR20W857MOD40DWHNTNEEM	9405	1085.00	20 N
DALIDRIVERSQ10-50V/500MA10161102	9405	3950.00	30 N
SPARKLEPROADJDLR30W830MOD40DWHNTNEEM	9405	1755.00	10 N
SPARKLEPROADJDLR30W840MOD40DWHNTNEEM	9405	1755.00	10 N
SPARKLEPROADJDLR30W857MOD40DWHNTNEEM	9405	1755.00	10 N
SPARKLEPROADJDLR30W840MOD40DBLKNEEM	9405	630.00	10 N
DALIDRIVERSQ10-50V/800MA10161099	9405	4150.00	30 N

Ceiling cutout: Ø 85 mm, height 70 mm for 12 W. Ceiling cutout: Ø 120 mm, height 90 mm for 20 W
 Ceiling cutout: Ø 150 mm, height 98 mm for 30 W
ORDERING : MODULE + DRIVER (DALI DRIVER TO BE ORDERED SEPARATELY)
Driver packed separately



SPARKLE PRO FIX (DALI Driver to be ordered separately)

Recess mounted fixed LED downlight made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SPARKLEPROFIXDLR12W830MOD40DWHNTNEEM	9405	930.00	20 N
SPARKLEPROFIXDLR12W840MOD40DWHNTNEEM	9405	930.00	20 N
SPARKLEPROFIXDLR12W857MOD40DWHNTNEEM	9405	930.00	20 N
DALIDRIVERSQ10-50V/300MA10181251	9405	3800.00	30 N
SPARKLEPROFIXDLR20W830MOD40DWHNTNEEM	9405	930.00	20 N
SPARKLEPROFIXDLR20W840MOD40DWHNTNEEM	9405	930.00	20 N
SPARKLEPROFIXDLR20W857MOD40DWHNTNEEM	9405	930.00	20 N
DALIDRIVERSQ10-50V/500MA10161102	9405	3950.00	30 N
SPARKLEPROFIXDLR30W830MOD40DWHNTNEEM	9405	1445.00	8 N
SPARKLEPROFIXDLR30W840MOD40DWHNTNEEM	9405	1445.00	8 N
SPARKLEPROFIXDLR30W857MOD40DWHNTNEEM	9405	1445.00	8 N
DALIDRIVERSQ10-50V/800MA10161099	9405	4150.00	30 N

Ceiling cutout: Ø 105 mm, height 65 mm for 12 W. Ceiling cutout: Ø 130 mm, height 75 mm for 20 W
 Ceiling cutout: Ø 185 mm, height 95 mm for 30 W
ORDERING : MODULE + DRIVER (DALI DRIVER TO BE ORDERED SEPARATELY)
Driver packed separately






Industrial LED Luminaires

Havells offers a wide variety of solutions for all industrial applications. Havells ensures the enhancement of productivity of the employees with the right light to keep them motivated. The use of Havells Industrial lights provides fatigue-free and accident-free environment.

MAGNUM LED 24 W IP66

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing in opal finish suitable for wet location with high brightness LEDs.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MAGNUMILS24WLED857SPC	9405	4115.00	12 N



MAGNUM GRAND NEO

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location. LEDs used as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MAGNUMGRANDNEOIP6520WLED857SPC	9405	3190.00	6 N
MAGNUMGRANDNEOIP6620WLED857SPC	9405	3500.00	6 N
MAGNUMGRANDNEOIP6632WLED857SPC	9405	4000.00	6 N
MAGNUMGRANDNEOIP6632WLED865SPC	9405	4000.00	6 N
MAGNUMGRANDNEOIP6636WLED857SPC	9405	4000.00	6 N
MAGNUMGRANDNEOIP6636WLED840SPC	9405	4000.00	6 N
MAGNUMGRANDNEOIP6640WLED865SPC	9405	4100.00	6 N
MAGNUMGRANDNEOIP6640WLED857SPC	9405	4100.00	6 N



MAGNUM GRAND GOLD

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MAGNUMGRANDGOLD20WLED857SPCLILO	9405	3000.00	12 N
MAGNUMGRANDGOLD32WLED857SPCLILO	9405	3600.00	12 N
MAGNUMGRANDGOLD36WLED857SPCLILO	9405	3600.00	12 N
MAGNUMGRANDGOLD40WLED857SPCLILO	9405	3700.00	12 N



MAGNUM RETRO (Single Side Connection)

Environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP65 luminaire with PC housing & opal finish cover suitable for LED tubes.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MAGNUMRETROILS1X18PC	9405*	1625.00	6 N
MAGNUMRETROILS2X18PC	9405*	2030.00	6 N



STUPE WELL GLASS

Environmental friendly, energy saving long life corrosion resistant, vertical surface mounting pressure die-cast aluminium housing and control gear compartment well glass luminaires with high power LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
STUPEWGP30WLED757SSYMTOPCGRY	9405	2900.00	6 N
STUPEWGP35WLED757SSYMTOPCGRY	9405	2950.00	6 N
STUPEWGP40WLED757SSYMTOPCGRY	9405	3000.00	6 N



Industrial LED Luminaires

HIGHBAY LIGHTING

ENDURA WELL GLASS NEO - IP65

Environmental friendly, energy saving long life corrosion resistant, vertical/horizontal surface mounting pressure die-cast aluminium well glass luminaires with high power LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAWELLGLASSNEOTSS26WLED757SPCSO	9405	2900.00	6 N
ENDURAWELLGLASSNEOTSS35WLED757SPCSO	9405	3100.00	6 N
ENDURAWELLGLASSNEOTSS40WLED757SPCSO	9405	3200.00	6 N
ENDURAWELLGLASSNEOP70WLED757PPC	9405	7000.00	6 N



ILIOSBAY LE LOWBAY - IP65

Energy saving, environment friendly & robust IP65 protected LED midbay with PDC housing suitable for ceiling (Surface/Suspended) mount & available in Wide beam optics.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ILIOSBAYLEHBP60WLED857SP90DTPC	9405	8100.00	2 N
ILIOSBAYLEHBP70WLED857SP90DTPC	9405	8300.00	2 N



ILIOSBAY COB LOWBAY - IP65

Energy saving, environment friendly & robust IP65 protected LED-COB midbay with PDC housing suitable for ceiling (Surface/Suspended) mount & available in Wide & Narrow beam optics.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ILIOSBAYHBP50WCOB857SP60DLENSWHT	9405	8700.00	2 N
ILIOSBAYHBP50WCOB857SP90DLENSWHT	9405	8700.00	2 N
ILIOSBAYHBP50WCOB857SP120DLENSWHT	9405	8700.00	2 N
ILIOSBAYHBP60WCOB857SP60DLENSWHT	9405	8900.00	2 N
ILIOSBAYHBP60WCOB857SP90DLENSWHT	9405	8900.00	2 N
ILIOSBAYHBP60WCOB857SP120DLENSWHT	9405	8900.00	2 N



ILIOSBAY PLUS HIGHBAY - IP65

Energy saving, environment friendly & robust IP65 protected LED midbay with PDC housing suitable for ceiling (Surface/Suspended) mount & available in Wide beam optics.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ILIOSBAYPLUSHP50WLED857SP90DTPC	9405	8700.00	2 N
ILIOSBAYPLUSHP60WLED857SP90DTPC	9405	8900.00	2 N
ILIOSBAYPLUSHP70WLED857SP90DTPC	9405	9200.00	2 N
ILIOSBAYPLUSHP80WLED857SP90DTPC	9405	9400.00	2 N



BAYBRITE FLARE HIGHBAY

Baybrite Flare is a special designed, multi- functional LED luminaire to replace Industrial Low- bay.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
BAYBRITEFLAREHB70WLED857PWBBOLTG	9405	9400.00	2 N
BAYBRITEFLAREHB80WLED857PWBBOLTG	9405	9900.00	2 N
BAYBRITEFLAREHB90WLED857SWBBOLTG	9405	10500.00	2 N
BAYBRITEFLAREHB100WLED757APWBBOLTG	9405	12000.00	2 N
BAYBRITEFLAREHB120WLED757APWBBOLTG	9405	12800.00	2 N



SAUCER NEXTGEN HIGHBAY

Next generation, energy saving, environment friendly & robust highbay LED with PDC housing suitable for ceiling (Surface/Suspended) mounting with system efficacy upto 150 lm/W.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SAUCERGENXPROHBP80WLED757P90DBOLTG	9405	12500.00	1 N
SAUCERGENXPROHBP80WLED757P60DBOLTG	9405	12500.00	1 N
SAUCERGENXPROHBP100WLED757P90DBOLTG	9405	13500.00	1 N
SAUCERGENXPROHBP100WLED757P60DBOLTG	9405	13500.00	1 N
SAUCERGENXPROHBP120WLED757P90DBOLTG	9405	14000.00	1 N
SAUCERGENXPROHBP120WLED757P60DBOLTG	9405	14000.00	1 N



RADIO SO HIGHBAY

Energy saving, environment friendly & robust highbay LED luminaire with high efficacy suitable for ceiling (Surface/Suspended).

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
RADIO SOHB150WLED75760DBOPC	9405	13800.00	1 N
RADIO SOHB150WLED75790DBOPC	9405	13800.00	1 N
RADIO SOHB180WLED75760DBOPC	9405	20000.00	1 N
RADIO SOHB180WLED75790DBOPC	9405	20000.00	1 N
RADIO SOHB200WLED75760DBOPC	9405	21000.00	1 N
RADIO SOHB200WLED75790DBOPC	9405	21000.00	1 N



SAUCER

Energy saving, environment friendly & robust Highbay/Mediumbay LED IP65 luminaire with high efficacy.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SAUCERPLUSHBP150WLED85790DTOLTG	9405	14900.00	1 N
SAUCERPLUSHBP150WLED85760DTOLTG	9405	14900.00	1 N
BAYBRITESAUCERHBP180WLED757WBTOLTG	9405	23800.00	1 N
BAYBRITESAUCERHBP180WLED757NBTOLTG	9405	23800.00	1 N
BAYBRITESAUCERHBP200WLED757NBTOLTG	9405	25000.00	1 N
BAYBRITESAUCERHBP200WLED757WBTOLTG	9405	25000.00	1 N



JETA VALOUR HIGHBAY INTEGRAL

Jeta Valour Int is a special designed, multi- functional LED luminaire to replace under canopy or Industrial Bay -Lights.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
JETAVALOURHB180WLED757PINTNBLTG	9405	22500.00	1 N
JETAVALOURHB180WLED757PINTWBLTG	9405	22500.00	1 N
JETAVALOURHB200WLED757PINTNBLTG	9405	24500.00	1 N
JETAVALOURHB200WLED757PINTWBLTG	9405	24500.00	1 N



Industrial LED Luminaires

HIGHBAY LIGHTING

JETA VALOUR HIGHBAY NON-INTEGRAL

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium non integral IP66 highbay, suitable for Industrial applications.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
JETA VALOUR HB180WLED757MODNBLTG	9405	15600.00	1 N
JETA VALOUR HB180WLED757MODWBLTG	9405	15600.00	1 N
JETA VALOUR HB200WLED757MODNBLTG	9405	16000.00	1 N
JETA VALOUR HB200WLED757MODWBLTG	9405	16000.00	1 N
ASSEMBLED CG BOX VALOUR HB 180W P	9405	10100.00	1 N
ASSEMBLED CG BOX VALOUR HB 200W P	9405	10100.00	1 N



HEXA 10 W - IP66

Environmental friendly, ultra modern, energy saving, surface mounted, decorative hexagon bulk head Back-lit LED luminaire comprising of high brightness LEDs.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
HEXAFT10WLED857SSYMBOPC	9405	1400.00	8 N



LED CLEAN ROOM BOTTOM OPENING MS FRAME

IP65, dust free & zero maintenance LED Clean Room Bottom Opening luminaire for hygienic facilities.


Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
BOCR1X1R18W LED857SPCMS	9405	4400.00	2 N
BOCR2X2R34WLED857SPCMS	9405	8200.00	2 N
BOCR2X2R36WLED857SPCMSGEN	9405	8200.00	2 N
BOCR2X2R42WLED857SPCMSGEN	9405	8300.00	2 N
BOCR2X2R60WLED857SPCMSGEN	9405	9960.00	2 N
BOCR2X2R80WLED857SPCMSGEN	9405	10320.00	2 N
BOCR4X1R34WLED857SPCMS	9405	9600.00	2 N
BOCR4X1R42WLED857SPCMS	9405	9800.00	2 N
BOCR4X1R60WLED857SPCMS	9405	12200.00	2 N
BOCR4X1R80WLED857SPCMS	9405	12400.00	2 N
BOCR2X1R28WLED857SPCMS	9405	6900.00	2 N
BOCR2X1R34WLED857SPCMS	9405	7440.00	2 N
BOCR2X1R42WLED857SPCMS	9405	7680.00	2 N



LED CLEAN ROOM BOTTOM OPENING SS FRAME

IP65, dust free & zero maintenance LED Clean Room Bottom Opening luminaire for hygienic facilities.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
BOCR1X1R18WLED857SPCSS	9405	5900.00	2 N
BOCR2X2R34WLED857SPCSS	9405	10900.00	2 N
BOCR2X2R36WLED857SPCSSGEN	9405	10900.00	2 N
BOCR2X2R42WLED857SPCSSGEN	9405	12600.00	2 N
BOCR2X2R60WLED857SPCSSGEN	9405	13400.00	2 N
BOCR2X2R80WLED857SPCSSGEN	9405	13600.00	2 N
BOCR2X1R28WLED857SPCSS	9405	10300.00	2 N
BOCR2X1R34WLED857SPCSS	9405	10440.00	2 N
BOCR2X1R42WLED857SPCSS	9405	10800.00	2 N
BOCR4X1R34WLED857SPCSS	9405	11520.00	2 N
BOCR4X1R42WLED857SPCSS	9405	11640.00	2 N
BOCR4X1R60WLED857SPCSS	9405	13920.00	2 N
BOCR4X1R80WLED857SPCSS	9405	14280.00	2 N



LED CLEAN ROOM TOP OPENING MS FRAME

IP65, dust free & zero maintenance LED Clean Room Top Opening luminaire for hygienic facilities.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TOCR1X1R18WLED857SPCMS	9405	5500.00	2 N
TOCR2X2R34WLED857SPCMS	9405	10000.00	2 N
TOCR2X2R36WLED857SPCMSGEN	9405	10000.00	2 N
TOCR2X2R42WLED857SPCMSGEN	9405	10000.00	2 N
TOCR2X2R60WLED857SPCMSGEN	9405	12600.00	2 N
TOCR2X2R80WLED857SPCMSGEN	9405	12800.00	2 N
TOCR4X1R34WLED857SPCMS	9405	11000.00	2 N
TOCR4X1R42WLED857SPCMS	9405	11200.00	2 N
TOCR4X1R60WLED857SPCMS	9405	13400.00	2 N
TOCR4X1R80WLED857SPCMS	9405	13800.00	2 N
TOCR2X1R28WLED857SPCMS	9405	9200.00	2 N
TOCR2X1R34WLED857SPCMS	9405	9500.00	2 N
TOCR2X1R42WLED857SPCMS	9405	9600.00	2 N




Industrial LED Luminaires

CLEAN ROOM LIGHTS

LED CLEAN ROOM TOP OPENING SS FRAME

IP65, dust free & zero maintenance LED Clean Room Top Opening luminaire for hygienic facilities.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TOCR1X1R18WLED857SPCSS	9405	6000.00	2 N
TOCR2X2R34WLED857SPCSS	9405	12550.00	2 N
TOCR2X2R36WLED857SPCSSGEN	9405	12600.00	2 N
TOCR2X2R42WLED857SPCSSGEN	9405	13100.00	2 N
TOCR2X2R60WLED857SPCSSGEN	9405	14200.00	2 N
TOCR2X2R80WLED857SPCSSGEN	9405	14300.00	2 N
TOCR4X1R34WLED857SPCSS	9405	13500.00	2 N
TOCR4X1R42WLED857SPCSS	9405	13700.00	2 N
TOCR4X1R60WLED857SPCSS	9405	15800.00	2 N
TOCR4X1R80WLED857SPCSS	9405	16000.00	2 N
TOCR2X1R28WLED857SPCSS	9405	11000.00	2 N
TOCR2X1R34WLED857SPCSS	9405	12360.00	2 N
TOCR2X1R42WLED857SPCSS	9405	12600.00	2 N



LED CLEAN ROOM BOTTOM OPENING SCREW LESS

IP65, dust free & zero maintenance LED Clean Room Bottom Opening luminaire for hygienic facilities.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
BOCR1x1R18WLED857SPCMSSL	9405	5400.00	2 N
BOCR2X2R34WLED857SPCMSSL	9405	9200.00	2 N
BOCR2X2R42WLED857SPCMSSGENSSL	9405	9700.00	2 N
BOCR2X2R60WLED857SPCMSSGENSSL	9405	10900.00	2 N
BOCR2X2R80WLED857SPCMSSGENSSL	9405	11200.00	2 N
BOCR2X1R28WLED857SPCMSSL	9405	6900.00	2 N
BOCR2X1R34WLED857SPCMSSL	9405	7100.00	2 N
BOCR2X1R42WLED857SPCMSSL	9405	7500.00	2 N
BOCR4X1R34WLED857SPCMSSL	9405	10900.00	2 N
BOCR4X1R42WLED857SPCMSSL	9405	11500.00	2 N
BOCR4X1R60WLED857SPCMSSL	9405	13200.00	2 N
BOCR4X1R80WLED857SPCMSSL	9405	14000.00	2 N



LED TOCR H – CLEAN (WITH SEPARATE DIFFUSER)

Dust free & zero maintenance LED Clean Room Top Opening luminaire for hygienic facilities.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TOCRW/OFRAME2X1R28WCBLED857SPCMS	9405	On Request	2 N
TOCRW/OFRAME2X1R34WCBLED857SPCMS	9405	On Request	2 N
TOCRW/OFRAME2X2R42WCBLED857SPCMS	9405	On Request	2 N
TOCRW/OFRAME2X2R60WCBLED857SPCMS	9405	On Request	2 N
TOCRW/OFRAME2X2R80WCBLED857SPCMS	9405	On Request	2 N



LED TOCR TUNABLE WHITE

TOCR with dimming option for hygienic facilities.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TOCR2X2R42WTUNABLEWHITELED3K-5.7KDPCMS	9405	16400	2 N
TOCR2X2R42WTUNABLEWHITELED3K-5.7KDPCSS	9405	18000	2 N
TOCR2X1R42WTUNABLEWHITELED3K-5.7KDPCMS	9405	14000	2 N

To be used with - BLUETOOTH1-10VCONV42W



WALKABLE TRAY FOR TOP OPENING CLEAN ROOM FIXTURES

Item Description	HSN Code	Size (mm)	List Price in ₹ Per Unit	Case Lot No. of unit/s
WalkableTray1X1RTOCRMS	9405*	440x440	2748.00	2 N
WalkableTray1X2RTOCRMS	9405*	440x740	3630.00	2 N
WalkableTray1X4RTOCRMS	9405*	440x1340	5940.00	2 N
WalkableTray2X2RTOCRMS	9405*	740x740	4842.00	2 N



TOP COVER FOR TOP OPENING CLEAN ROOM FIXTURES

Item Description	HSN Code	Size (mm)	List Price in ₹ Per Unit	Case Lot No. of unit/s
TOPCOVERTRAY1X1RTOCR	9405*	440x440	1000.00	2 N
TOPCOVERTRAY1X2RTOCR	9405*	440x740	1800.00	2 N
TOPCOVERTRAY1X4RTOCR	9405*	440x1340	2300.00	2 N
TOPCOVERTRAY2X2RTOCR	9405*	740x740	2200.00	2 N







Outdoor LED Luminaires

Introducing the wide range of outdoor application LED products from Havells. This range is yet another example of Havells' endeavour to innovate and provide world class lighting solution, energy efficient products and robust design. These lights are designed to fulfill the lighting applications of City Road Lighting, Periphery Lighting, Prestigious Heritage Area Outdoor Lighting and Urban Landscape Lighting.

JETA QUANTO PLUS

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium flood light with high power LEDs as light source, suitable for highlighting architectural features or Area Lighting. Also suitable to rough services/installations.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
JETAQUANTOPLUSFLP30WLED757SYMLENS	9405	3100.00	6 N
JETAQUANTOPLUSFLP50WLED757SYMLENS	9405	4000.00	6 N
JETAQUANTOPLUSFLP60WLED757SYMLENS	9405	4300.00	6 N



JETA PRO 70

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP66 flood light, suitable for highlighting architectural facade and general purpose lighting.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
JETAPROFL70WLED757LTG	9405	8300.00	2 N



BAYBRITE FLARE FL

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium flood light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
BAYBRITEFLAREFL70WLED857PWBBOLTG	9405	9400.00	10 N
BAYBRITEFLAREFL80WLED857PWBBOLTG	9405	9850.00	10 N



JETA IRIS

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP66 flood light, suitable for highlighting architectural facade and general purpose lighting.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
JETAIRISFLS100WLED757SYMLTG	9405	8055.00	1 N
JETAIRISFLS100WLED757APNBLTG	9405	8250.00	1 N
JETAIRISFLS100WLED757APWBTLTG	9405	8250.00	1 N
JETAIRISFLS120WLED757SYMLTG	9405	8520.00	1 N
JETAIRISFLS120WLED757APNBLTG	9405	8750.00	1 N
JETAIRISFLS120WLED757APWBTLTG	9405	8750.00	1 N
JETAIRISFLS150WLED757PSYMLTG	9405	10500.00	1 N
JETAIRISFLS160WLED757PNBLTG	9405	13700.00	1 N
JETAIRISFLS160WLED757PWBLTG	9405	13700.00	1 N



JETA VALOUR INTEGRAL

Energy saving, environment friendly, long life, exclusive innovative die-cast aluminium flood light with highly efficient LEDs as light source, suitable for highlighting architectural features or retail spaces.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
JETAVALOURFL180WLED757PINTNBLTG	9405	22500.00	1 N
JETAVALOURFL180WLED757PINTWBTLTG	9405	22500.00	1 N
JETAVALOURFL200WLED757PINTNBLTG	9405	22900.00	1 N
JETAVALOURFL200WLED757PINTWBTLTG	9405	22900.00	1 N



Outdoor LED Luminaires

FLOOD LIGHTS

JETA VALOUR

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium non integral IP66 flood light, suitable for high mast application, highlighting architectural facade and general purpose lighting.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
JETAVALOURFL180WLED757MODNBLTG	9405	10300.00	1 N
ASSEMBLEDCGBOXVALOUR180WAP	9405	9000.00	1 N
JETAVALOURFL180WLED757MODWBLTG	9405	10300.00	1 N
ASSEMBLEDCGBOXVALOUR180WAP	9405	9000.00	1 N
JETAVALOURFL200WLED757MODNBLTG	9405	11000.00	1 N
ASSEMBLEDCGBOXVALOUR200WAP	9405	9000.00	1 N
JETAVALOURFL200WLED757MODWBLTG	9405	11000.00	1 N
ASSEMBLEDCGBOXVALOUR200WAP	9405	9000.00	1 N
JETAVALOURFL240WLED757MODWBLTG	9405	12400.00	1 N
ASSEMBLEDCGBOXVALOUR240WAP	9405	9600.00	1 N
JETAVALOURFL240WLED757MODNBLTG	9405	12400.00	1 N
ASSEMBLEDCGBOXVALOUR240WAP	9405	9600.00	1 N
JETAVALOURFL300WLED757MODNBLTG	9405	16200.00	1 N
ASSEMBLEDCGBOXVALOUR300WAP	9405	12500.00	1 N
JETAVALOURFL300WLED757MODWBLTG	9405	16200.00	1 N
ASSEMBLEDCGBOXVALOUR300WAP	9405	12500.00	1 N
JETAVALOURFL350W3MLED757MODNBLTG	9405	20500.00	1 N
ASSEMBLEDCGBOXVALOUR350W3MAP	9405	15500.00	1 N
JETAVALOURFL350W3MLED757MODWBLTG	9405	20500.00	1 N
ASSEMBLEDCGBOXVALOUR350W3MAP	9405	15500.00	1 N
JETAVALOURFL400WLED757MODNBLTG	9405	21800.00	1 N
ASSEMBLEDCGBOXVALOUR400WP	9405	17500.00	1 N
JETAVALOURFL400WLED757MODWBLTG	9405	21800.00	1 N
ASSEMBLEDCGBOXVALOUR400WP	9405	17500.00	1 N
L.SPARE 5C-CABLE 25M WITH IPCONNECTOR	9405	4500.00	1 N
L.SPARE 5 C-CABLE 15M WITH IPCONNECTOR	9405	2900.00	1 N



TYCOON (OPAL)

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast Aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
TYCOONPT70WLED730PSYMTOPC	9405	37400.00	1 N
TYCOONPT70WLED757PSYMTOPC	9405	37400.00	1 N

Suitable for pole dia Ø 76 mm



BARON (OPAL)

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast Aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
BARONPT70WLED730PSYMTOPC	9405	35000.00	1 N
BARONPT70WLED757PSYMTOPC	9405	35000.00	1 N

Suitable for pole dia Ø 76 mm



VICTORIA - IP65/IP66

Design from the renaissance era yet with a modern look using new generation technology in LED to enliven your outdoor areas in perfect synchronization with functionality and aesthetics. Family of post top lantern designed to complement the geometry of the area.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
VICTORIAPT35WLED730PSYMTOTG	9405	25300.00	1 N
VICTORIAPT35WLED757PSYMTOTG	9405	25300.00	1 N
VICTORIAPT50WLED730PSYMTOTG	9405	30100.00	1 N
VICTORIAPT50WLED757PSYMTOTG	9405	30100.00	1 N

Suitable for pole dia Ø 76 mm



ENDURA SPRING 6

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with good indirect symmetrical light distribution, die-cast aluminium landscape IP65 luminaire with high power COB LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURASPRING6PT35WLED740PSYMTOTG	9405	19100.00	1 N
ENDURASPRING6PT35WLED757PSYMTOTG	9405	19100.00	1 N

Suitable for pole dia Ø 76 mm



JUPITER IP65

Aesthetically designed LED post Top with aluminium enclosure, powered with high power LEDs as light source and die casted heat sink exhibits classic Victorian look with symmetrical light distribution and excellent heat dissipation for long life.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
JUPITERMAXIPT50WLED757PSYMTOPC	9405	14100.00	1 N
JUPITERMAXIPT50WLED830PSYMTOPC	9405	14900.00	1 N
JUPITERMAXIPT70WLED757PSYMTOPC	9405	16100.00	1 N
JUPITERMAXIPT70WLED830PSYMTOPC	9405	16900.00	1 N

Suitable for pole dia Ø 76 mm



Outdoor Luminaires

LANDSCAPE LIGHTS

RUBY (CLEAR) - IP65

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
RUBYMINIPT15WLED757PSYMTOPC	9405	4700.00	1 N
RUBYMINIPT15WLED830PSYMTOPC	9405	4950.00	1 N
RUBYPT25WLED757PSYMTOPC	9405	8500.00	1 N
RUBYPT25WLED830SSYMTOPC	9405	8800.00	1 N
RUBYPT35WLED757PSYMTOPC	9405	9370.00	1 N
RUBYPT35WLED830PSYMTOPC	9405	9750.00	1 N
RUBYMAXIPT50WLED757PSYMTOPC	9405	12500.00	1 N
RUBYMAXIPT50WLED830PSYMTOPC	9405	12900.00	1 N
RUBYMAXIPT70WLED757PSYMTOPC	9405	14100.00	1 N
RUBYMAXIPT70WLED830PSYMTOPC	9405	14900.00	1 N

Suitable for pole dia Ø 50 mm for 15 W, Suitable for pole dia Ø 76 mm for 25 W/35 W/50 W/70 W



CORAL (OPAL) - IP65

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CORALMINIPT15WLED757PSYMTOPC	9405	4700.00	1 N
CORALMINIPT15WLED830PSYMTOPC	9405	4950.00	1 N
CORALPT25WLED757PSYMTOPC	9405	8500.00	1 N
CORALPT25WLED830SSYMTOPC	9405	8800.00	1 N
CORALPT35WLED757PSYMTOPC	9405	9370.00	1 N
CORALPT35WLED830PSYMTOPC	9405	9750.00	1 N
CORALMAXIPT50WLED757PSYMTOPC	9405	12500.00	1 N
CORALMAXIPT50WLED830PSYMTOPC	9405	12900.00	1 N
CORALMAXIPT70WLED757PSYMTOPC	9405	14100.00	1 N
CORALMAXIPT70WLED830PSYMTOPC	9405	14900.00	1 N

Suitable for pole dia Ø 50 mm for 15 W, Suitable for pole dia Ø 76 mm for 25 W/35 W/50 W/70 W



EROS IP65

Aesthetically designed LED post Top with aluminium enclosure, powered with high power LEDs as light source and die casted heat sink exhibiting classic Victorian look with symmetrical light distribution, suspended mounting arrangement and excellent heat dissipation for long life.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
EROSPT72WLED757PSYMTOPC	9405	28500.00	1 N
EROSPT72WLED830PSYMTOPC	9405	28500.00	1 N
EROSPT90WLED757PSYMTOPC	9405	32500.00	1 N
EROSPT90WLED830PSYMTOPC	9405	32500.00	1 N
EROSPT120WLED757PSYMTOPC	9405	36500.00	1 N
EROSPT120WLED830PSYMTOPC	9405	36500.00	1 N

For mounting info refer TDS



CLIO

Environmental friendly, new generation, energy saving, decorative UP-down Luminaire with wall surface mounting using COB LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CLIOLL15WLED730PSYMTOTG	9405	6500.00	4 N
CLIOLL25WLED730PSYMTOTG	9405	9000.00	4 N



LYCUS

Environmental friendly, new generation, energy saving, decorative spike light using COB LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
LYCUSLL9WLED730PSYMTOTG	9405	5500.00	4 N



MUSHROOM - IP65

New generation, energy saving, environmental friendly, long life aesthetically designed die-cast aluminium landscape luminaire for downward lighting with high power LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MUSHROOMBL16WLED730SSYMTOPC	9405	10700.00	1 N
MUSHROOMBL16WLED757SSYMTOPC	9405	10700.00	1 N



BAMBOO - IP65

New generation, energy saving, environmental friendly, long life aesthetically designed aluminium landscape luminaire for diffused lighting with high power LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
BAMBOOBL8WLED830PSYMTOPC (0.6 M)	9405	5200.00	4 N
BAMBOOBL8WLED857PSYMTOPC (0.6 M)	9405	5200.00	4 N
BAMBOOBL8WLED830PSYMTOPCM (1.0 M)	9405	7000.00	4 N
BAMBOOBL8WLED857PSYMTOPCM (1.0 M)	9405	7000.00	4 N



CONE - IP65

Cone series acts as an imposing street furniture. The elegant yet minimalistic design acts a silent observer and giving light, diffuser at the upper portion adds functional value into landscape environment.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CONEBLS8WLED830PSYMTOPC (0.6 M)	9405	5300.00	4 N
CONEBLS8WLED857PSYMTOPC (0.6 M)	9405	5300.00	4 N
CONEBLS8WLED830PSYMTOPCM (1.0 M)	9405	7100.00	4 N
CONEBLS8WLED857PSYMTOPCM (1.0 M)	9405	7100.00	4 N



Outdoor Luminaires

LANDSCAPE LIGHTS

CONE NXG - IP65

Cone NXG series acts as an imposing street furniture with touch if aesthetic. Innovative design with uniformly lit diffuser at the upper portion acts a beacon of path guidance in a landscape environment.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
CONENXGBLS8WLED830PSYMTOPC (0.6 M)	9405	6500.00	4 N
CONENXGBLS8WLED857PSYMTOPC (0.6 M)	9405	6500.00	4 N
CONENXGBLS8WLED830PSYMTOPCM (1.0 M)	9405	8000.00	4 N
CONENXGBLS8WLED857PSYMTOPCM (1.0 M)	9405	8000.00	4 N



MOUNT - IP65

Sturdy LED Bollard with excellent light out put through its PMMA window ensuring maximum illumination aspect in surrounding.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MOUNTBL10WLED830PSYMTOPMMA (0.6 M)	9405	6900.00	4 N
MOUNTBL10WLED857PSYMTOPMMA (0.6 M)	9405	6900.00	4 N
MOUNTBL10WLED830PSYMTOPMMAM (1.0 M)	9405	8100.00	4 N
MOUNTBL10WLED857PSYMTOPMMAM (1.0 M)	9405	8100.00	4 N



MINI MOUNT - IP65

Sturdy LED Bollard with excellent light out put through its sleek PMMA window ensuring maximum illumination aspect in surrounding.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MINIMOUNTBL10WLED830PSYMTOPMMAS (0.3 M)	9405	5900.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMAS (0.3 M)	9405	5900.00	4 N
MINIMOUNTBL10WLED830PSYMTOPMMA (0.6 M)	9405	7100.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMA (0.6 M)	9405	7100.00	4 N
MINIMOUNTBL10WLED830PSYMTOPMMAM (1.0 M)	9405	8100.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMAM (1.0 M)	9405	8100.00	4 N



UFO - IP65

Contemporary UFO shape design bollard with minimum upward light component, ensuring excellent distribution and high system lumen efficacy.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
UFOBLS10WLED830PSYMTOPC (0.6 M)	9405	6700.00	4 N
UFOBLS10WLED857PSYMTOPC (0.6 M)	9405	6700.00	4 N
UFOBLS10WLED830PSYMTOPCM (1.0 M)	9405	7900.00	4 N
UFOBLS10WLED857PSYMTOPCM (1.0 M)	9405	7900.00	4 N



RADIANT NEO - IP66

Environmental friendly, new generation, energy saving, decorative rectangular shaped wall recessed Luminaire with SMD LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
RADIANTNEOFT07WLED830SASYMBOPC	9405	3000.00	16 N



ENDURA RUGBY NEO N - IP65

Environmental friendly, ultra modern, energy saving, surface mounted, decorative oval bulk head edge-lit LED luminaire comprising of high brightness LEDs.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
RUGBYNEONFT10WLED860SSYMTOPC	9405	1730.00	10 N



ECO POLES

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole. Decorative sleek casting ring to increase aesthetical appeal.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
3MECOPOLE	7308	14900.00	1 N
4MECOPOLE	7308	18500.00	1 N



POLES

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
3MPOLE	7308	16300.00	1 N
3.5MPOLE	7308	18300.00	1 N
4MPOLE	7308	21700.00	1 N
6MPOLE	7308	30500.00	1 N



STARK - POLE BASE COVER

Aesthetically designed decorative pole base cover, enhancing the appearance of the pole.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
STARK Decorative Pole Base Cover	7308	4100.00	1 N
For mounting info refer TDS.			





ENDURA PEARL 25 W MP

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficient LED as lighting source and PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAPEARLSL15WLED757SASYTOPCMP	9405	1700.00	1 N
ENDURAPEARLSL20WLED757SASYTOPCMP	9405	1700.00	1 N
ENDURAPEARLSL25WLED757SASYTOPCMP	9405	1760.00	1 N

Suitable for pole dia Ø 43 mm (max.)



ENDURA PEARL 30 W MP

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficient LED as lighting source and PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAPEARLSL30WLED757SASYTOPCMP	9405	2075.00	1 N

Suitable for pole dia Ø 43 mm (max.)



ENDURA CITYLITE PLATINUM PLUS

Energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having IP65 protection and Impact resistance of IK07 with 10KV Built-in Surge Protection Device.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURACITYLITEPLATPLUSL30WLED757SASYBOPC	9405	3200.00	1 N
ENDURACITYLITEPLATPLUSL35WLED757SASYBOPC	9405	3400.00	1 N

Suitable for pole dia Ø 43 mm (max.)




ENDURA PEARL NEO

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAPEARLNEOSL40WLED757PASYTOPC	9405	3600.00	1 N
ENDURAPEARLNEOSL45WLED757PASYTOPC	9405	3800.00	1 N
ENDURAPEARLNEOSL48WLED757PASYTOPC	9405	4200.00	1 N
ENDURAPEARLNEOSL60WLED757PASYTOPC	9405	5250.00	1 N

Suitable for pole dia Ø 43 mm (max.)



ENDURA CITYLINER NEO

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficient LED as lighting source with toughened glass having IP66 protection and impact resistance of IK07.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURACITYLINERNEOSL70WLED757PASYBOTG	9405	5450.00	1 N
ENDURACITYLINERNEOMPSL80WLED757PASYBOTG	9405	6900.00	1 N

Suitable for pole dia Ø 54 mm (max.)



Outdoor Luminaires

STREET LIGHTS

ENDURA PEARL PLUS

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having TOP OPENING separate driver compartment with IP66 protection and impact resistance of IK07 with 10KV Built-in Surge Protection Device.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAPEARLPLUSL90WLED757PASYTOPCASTHO	9405	7050.00	1 N
Suitable for pole dia Ø 54 mm (max.)			



PEARL MAGNUM

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source with toughened glass top cover. TOP OPENING separate driver compartment with IP66 protection and impact resistance of IK07 with 10KV Built-in Surge Protection Device.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAPEARLMAGNUMSL100WLED757PASYTOTGAST	9405	8600.00	1 N
ENDURAPEARLMAGSL120WLED757PASYTOTGASTHO	9405	8900.00	1 N
Suitable for pole dia Ø 58 mm (max.)			



PEARL MAGNUM PLUS

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAPEARLMAGPLUSL135WLED757PASYTOTG	9405	13000.00	1 N
ENDURAPEARLMAGPLUSL150WLED757PASYTOTG	9405	13500.00	1 N
Suitable for pole dia Ø 60 mm (max.)			



PEARL GRAND

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAPEARLGRANDSL170WLED757PASYTOTG	9405	18000.00	1 N
ENDURAPEARLGRANDSL190WLED757PASYTOTG	9405	19000.00	1 N
ENDURAPEARLGRANDSL200WLED757PASYTOTG	9405	20500.00	1 N
Suitable for pole dia Ø 63 mm (max.)			



PEARL GRAND PLUS

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENDURAPEARLGRANDPLUSL250WLED757PASYTOTG	9405	30000.00	1 N
Suitable for pole dia Ø 63 mm (max.)			



SKILINE PLUS

High power color changing & monochromatic LED projector for super distance lighting with Intelligent logarithmic control technology.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
SKILINE PLUS 600 W DMX	9405	On Request	1 N
SKILINE PLUS 600 W	9405	On Request	1 N
SKILINE PLUS 500 W DMX	9405	On Request	1 N
SKILINE PLUS 500 W	9405	On Request	1 N
SKILINE PLUS 400 W DMX	9405	On Request	1 N
SKILINE PLUS 400 W	9405	On Request	1 N
SKILINE PLUS 300 W DMX	9405	On Request	1 N
SKILINE PLUS 300 W	9405	On Request	1 N
SKILINE PLUS 200 W DMX	9405	On Request	1 N
SKILINE PLUS 200 W	9405	On Request	1 N



RANGER

Excellency steered color changing & monochromatic LED projector with unique design, delivering rich & saturated colors.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
RANGER 120 W DMX	9405	On Request	1 N
RANGER 120 W	9405	On Request	1 N
RANGER 70 W DMX	9405	On Request	1 N
RANGER 70 W	9405	On Request	1 N
RANGER 45 W DMX	9405	On Request	1 N
RANGER 45 W	9405	On Request	1 N



COMPASS

High light intensity empowered color changing & monochromatic compact LED projector with polarized light design & intelligent logarithmic control technology.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
COMPASS 180 W DMX	9405	On Request	1 N
COMPASS 180 W	9405	On Request	1 N
COMPASS 150 W DMX	9405	On Request	1 N
COMPASS 150 W	9405	On Request	1 N
COMPASS 130 W DMX	9405	On Request	1 N
COMPASS 130 W	9405	On Request	1 N
COMPASS 85 W DMX	9405	On Request	1 N
COMPASS 85 W	9405	On Request	1 N
COMPASS 43 W DMX	9405	On Request	1 N
COMPASS 40 W	9405	On Request	1 N
COMPASS 28 W DMX	9405	On Request	1 N
COMPASS 30 W	9405	On Request	1 N



Outdoor Luminaires

COLORSCAPE LIGHTS

MARINA

High light intensity empowered color changing & monochromatic LED under water fountain light with polarized light design & intelligent logarithmic control technology.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
MARINALUMO MINI	9405	On Request	5 N
MARINALUMO MIDI	9405	On Request	5 N
MARINALUMO MAXI	9405	On Request	5 N
MARINASHINE MINI	9405	On Request	1 N
MARINASHINE MIDI	9405	On Request	8 N
MARINASHINE MAXI	9405	On Request	8 N

External driver to be ordered separately



LINEATE INT

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
LINEATE INT 80 W DMX	9405	On Request	1 N
LINEATE INT 80 W	9405	On Request	1 N
LINEATE INT 60 W DMX	9405	On Request	1 N
LINEATE INT 60 W	9405	On Request	1 N
LINEATE INT 40 W DMX	9405	On Request	1 N
LINEATE INT 40 W	9405	On Request	1 N

1 m Length.




LINEATE

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
LINEATE 40 W DMX	9405	On Request	1 N
LINEATE 40 W	9405	On Request	1 N
LINEATE 24 W DMX	9405	On Request	1 N
LINEATE 24 W	9405	On Request	1 N
LINEATE 12 W DMX	9405	On Request	1 N
LINEATE 12 W	9405	On Request	1 N

1 m Length for 40 W, 24 W. 0.5 m Length for 12 W. External driver to be ordered separately



ENGROSS

Color changing & monochromatic buried uplighter ideal for uplighting facades, columns & features with multiple optics & extensive pallet of colors.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ENGROSS 40 W DMX	9405	On Request	1 N
ENGROSS 40 W	9405	On Request	1 N
ENGROSS 28 W DMX	9405	On Request	1 N
ENGROSS 30 W	9405	On Request	1 N
ENGROSS 16 W DMX	9405	On Request	1 N
ENGROSS 16 W	9405	On Request	1 N
ENGROSS 13 W	9405	On Request	1 N



ADORN

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ADORN 6 W	9405	On Request	8 N
External driver to be ordered separately			



ADORN MINI

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
ADORN MINI 2 W	9405	On Request	24 N
External driver to be ordered separately			



FLEXISTRIP

IP 67 rated flexible LED strip to add great color & dramatic effects with extensive pallet of colors.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
FLEXISTRIP 36 W DMX	9405	On Request	1 N
FLEXISTRIP 36 W	9405	On Request	1 N
FLEXISTRIP 72 W DMX	9405	On Request	1 N
FLEXISTRIP 72 W	9405	On Request	1 N
5 m Length. External driver to be ordered separately			



DMX CONTROLLER

The Stand Alone DMX 512 controller can be used to control a wide variety of different DMX systems from RGB/RGBW to more advanced moving and color mixing luminaires, DMX audio players and fountains. The dual channel DMX 512 controller comes with a variety of features including RTC/calendar, Ethernet facilities, dry contact port triggering, multi-zone programming and SD memory card. The lighting levels, colors and effects can be programmed from a PC using the Havells DMX software.

Item Description	HSN Code	List Price in ₹ Per Unit	Case Lot No. of unit/s
DMX Controller	8537	On Request	1 N



For Colorscape solution kindly consult our local branch representative as additional accessories like External Drivers, DMX Controllers, Amplifiers, IP rated Connectors, Address Writers, Channel profile etc. are to be ordered for dynamic effect lighting.



Solar LED Standalone Street Light Range - (2 Days Backup)

For Panel, Battery, Pole and SCC specification pls. contact branch office or refer Catalogue

Solar Standalone Street Light system mentioned below includes LED street Light with in-built SCC, SPV Panel, Battery, HDG Tubular Pole.

Description	HSN Code	Luminaire Wattage (W)	System Voltage (V)	Lumen lm	MPPT/ PWM	Solar Panel Wp	Battery (LMLA/GEL) Ah	HDG Tubular Pole above ground	List Price (₹) for LMLA	List Price (₹) for GEL
15 W Solar SLS	8541	15	12	1500	PWM	75	40	5 m TUB Pole	38100.00	38600.00
20 W Solar SLS	8541	20	12	2100	PWM	100	60	5 m TUB Pole	44200.00	47600.00
24 W Solar SLS	8541	24	12	2400	PWM	125	60	5 m TUB Pole	47900.00	51500.00
21 W Solar SLS	8541	21	12	2205	MPPT	80	60	5 m TUB Pole	44400.00	47900.00
24 W Solar SLS	8541	24	12	2400	MPPT	100	60	5 m TUB Pole	47400.00	51000.00
30 W Solar SLS	8541	30	12	3150	MPPT	125	75	6 m TUB Pole (B)	55000.00	58600.00
36 W Solar SLS	8541	36	12	3780	MPPT	150	75	6 m TUB Pole (B)	62000.00	65600.00
39 W Solar SLS	8541	39	12	4095	MPPT	160 (80x2)	100	6 m TUB Pole (B)	66800.00	73200.00
45 W Solar SLS	8541	45	24	4725	MPPT	200 (100x2)	120 (60x2)	6 m TUB Pole (B)	82800.00	89900.00
60 W Solar SLS	8541	60	24	6300	MPPT	250 (125x2)	150 (75x2)	7 m Oct	116000.00	123300.00
70 W Solar SLS	8541	70	24	7350	MPPT	300 (150x2)	150 (75x2)	7 m Oct	129000.00	136300.00

* PWM - Pulse Width Modulation * MPPT - Maximum Power Point Tracking * (B) - Pole with base plate * LMLA - Low Maintenance Lead Acid Tubular * GEL - VRLA Solar Gel
 * Blue tooth & Hybrid Option available from 7 W to 70 W. * Any change in the specification other than above mentioned specification for Solar PV module, Battery, Luminaire, Pole, Hybrid, Bluetooth etc will be charged extra. * Price : Ex Works Noida. * Taxes : Extra as applicable * Transportation :- Extra as applicable * Warranty :- 1 year for complete system against manufacturing defect only, Additional warranty will be charged extra.

Solar LED Standalone Street Light Range - (3 Days Backup)

For Panel, Battery, Pole and SCC specification pls. contact branch office or refer Catalogue

Solar Standalone Street Light system mentioned below includes LED street Light with in-built SCC, SPV Panel, Battery, HDG Tubular Pole.

Description	HSN Code	Luminaire Wattage (W)	System Voltage (V)	Lumen lm	MPPT/ PWM	Solar Panel Wp	Battery (LMLA/GEL) Ah	HDG Tubular Pole above ground	List Price (₹) for LMLA	List Price (₹) for GEL
7 W Solar SLS	8541	7	12	735	PWM	40	40	4 m TUB Pole	29900.00	29500.00
12 W Solar SLS	8541	12	12	1200	PWM	60	40	5 m TUB Pole	35600.00	38300.00
15 W Solar SLS	8541	15	12	1500	PWM	75	60	5 m TUB Pole	41800.00	45400.00
20 W Solar SLS	8541	20	12	2100	PWM	100	75	5 m TUB Pole	46400.00	49900.00
24 W Solar SLS	8541	24	12	2400	PWM	125	75	5 m TUB Pole	50900.00	54700.00
21 W Solar SLS	8541	21	12	2205	MPPT	80	75	5 m TUB Pole	46700.00	50100.00
24 W Solar SLS	8541	24	12	2400	MPPT	100	75	5 m TUB Pole	50400.00	54200.00
30 W Solar SLS	8541	30	12	3150	MPPT	125	100	6 m TUB Pole (B)	58800.00	65000.00
36 W Solar SLS	8541	36	12	3780	MPPT	150	120	6 m TUB Pole (B)	67700.00	75600.00
39 W Solar SLS	8541	39	12	4095	MPPT	160 (80x2)	150	6 m TUB Pole (B)	73300.00	81700.00
45 W Solar SLS	8541	45	24	4725	MPPT	200 (100x2)	150 (75x2)	6 m TUB Pole (B)	86900.00	96300.00
60 W Solar SLS	8541	60	24	6300	MPPT	250 (125x2)	200 (100x2)	7 m Oct	123600.00	136000.00
70 W Solar SLS	8541	70	24	7350	MPPT	300 (150x2)	240 (120x2)	7 m Oct	140300.00	156000.00

* PWM - Pulse Width Modulation * MPPT - Maximum Power Point Tracking * (B) - Pole with base plate * LMLA - Low Maintenance Lead Acid Tubular * GEL - VRLA Solar Gel
 * Blue tooth & Hybrid Option available from 7 W to 70 W. * Any change in the specification other than above mentioned specification for Solar PV module, Battery, Luminaire, Pole, Hybrid, Bluetooth etc will be charged extra. * Price : Ex Works Noida. * Taxes : Extra as applicable * Transportation :- Extra as applicable * Warranty :- 1 year for complete system against manufacturing defect only, Additional warranty will be charged extra.

Solar Mini Mast

For Panel, Battery, Mast and SCC specification pls. contact branch office or refer Catalogue.

Luminaire Type	HSN Code	Luminaire Wattage	System Voltage	Solar Panel Wp	Battery Ah	Solar Charge Controller	Metal Battery Box Powder Coated	Octagonal Pole HD Galvanized	List Price in ₹ Per Unit
Street Light	8541	4x30 W	24	500 Wp	400 Ah	MPPT	Mounting at 4 metre from ground	9 m	300000.00
Flood Light	8541	3x33 W	24	400 Wp	300 Ah	MPPT	Mounting at 4 metre from ground	9 m	272000.00
Flood Light	8541	4x33 W	24	500 Wp	400 Ah	MPPT	Mounting at 4 metre from ground	9 m	331500.00
Flood Light	8541	3x45 W	24	500 Wp	400 Ah	MPPT	Mounting at 4 metre from ground	9 m	334900.00

* Blue tooth & Hybrid Option available. * Any change in the specification other than above mentioned specification for Solar PV module, Battery, Luminaire, Pole, Hybrid, Bluetooth etc will be charged extra. * Price : Ex Works Noida. * Taxes : Extra as applicable * Transportation :- Extra as applicable * Warranty :- 1 year for complete system against manufacturing defect only, Additional warranty will be charged extra. * Street Light - standard item. * Flood Light - project item. * Octagonal 4 mm thick.

Outdoor Luminaires

SOLAR STREET LIGHTS/MINI MAST

Li-Fe Solar Street Light System

For Panel, Battery, Pole and SCC specification pls. contact branch office or refer Catalogue

Li-Fe Solar Street Light system mentioned below includes LED street Light with in-built SCC, SPV Panel, LiFePO4 Battery, HDG Tubular Pole.

FG Code	HSN Code	System Voltage (V)	Luminaire Wattage (W)	Lumen/watt (lm/W)	Solar Charge Controller	Solar PV Module (Wp)	Battery (Ah)-Lifep04	Backup	Hot Dip Galvanized Tubular Pole above ground	List Price in ₹ Per Unit
LHSTAKU7AAND007	8541	12	7	>120	MPPT	40 Wp	12.8 V 10 Ah	2 days	4 m TUB Pole	37800.00
LHSTAKU7AANI012	8541	12	12	>120	MPPT	40 Wp	12.8 V 20 Ah	2 days	5 m TUB Pole	48300.00
LHSTANU7AANI015	8541	12	15	> 120	MPPT	50 Wp	12.8 V 25 Ah	2 days	5 m TUB Pole	53900.00
LHSTARU7AANI020	8541	12	20	>120	MPPT	75 Wp	12.8 V 30 Ah	2 days	5 m TUB Pole	61075.00
LHSTARU7AANI024	8541	12	24	>120	MPPT	80 Wp	12.8 V 35 Ah	2 days	5 m TUB Pole	66150.00
LHSTAPU7AAAI030	8541	12	30	> 120	MPPT	100 Wp	12.8 V 45 Ah	2 days	5 m TUB Pole	77875.00

* MPPT - Maximum Power Point Tracking * LiFePO4 - Lithium Ferro Phosphate Battery

* Blue tooth available from 7 W to 30 W. * Any change in the specification other than above mentioned specification for Solar PV module, Battery, Luminaire, Pole, Bluetooth etc will be charged extra. * Price : Ex Works Noida. * Taxes : Extra as applicable * Transportation :- Extra as applicable * Warranty :- 2 years for complete system against manufacturing defect only, Additional warranty will be charged extra.

ALL-IN-ONE Solar Street Light

For specification pls. contact branch office or refer Catalogue

ALL-IN-ONE Solar Street Light mentioned below includes LED Light, MPPT SCC, Mono Crystalline SPV Panel, LiFePO4 Battery Only.

FG Code	HSN Code	System Voltage (V)	Luminaire Wattage (W)	Lumen/watt	Solar Charge Controller	Mono Crystalline SPV Module (Wp)	Battery (Ah) - Lifep04	Backup	List Price in ₹ Per Unit
LHSTAKU7CBAF007	8541	12	7	>125	MPPT	20 Wp	12.8 V 10.5 Ah	2 days	25700.00
LHSTAKU7CBAF009	8541	12	9	>125	MPPT	20 Wp	12.8 V 10.5 Ah	2 days	27500.00
LHSTAKU7CBAF012	8541	12	12	>125	MPPT	30 Wp	12.8 V 14 Ah	2 days	29500.00
LHSTAKU7CBAF015	8541	12	15	>125	MPPT	40 Wp	12.8 V 18 Ah	2 days	35700.00
LHSTAKU7CBAF018	8541	12	18	>125	MPPT	40 Wp	12.8 V 21 Ah	2 days	43000.00
LHSTAKU7CBAF020	8541	12	20	>125	MPPT	50 Wp	12.8 V 24 Ah	2 days	45800.00
LHSTAKU7CBAF024	8541	12	24	>125	MPPT	60 Wp	12.8 V 30 Ah	2 days	53100.00
LHSTAKU7CBAF030	8541	12	30	>125	MPPT	70 Wp	12.8 V 36 Ah	2 days	62500.00

* MPPT - Maximum Power Point Tracking * LiFePO4 - Lithium Ferro Phosphate Battery

* Pole is not in Havells Scope. * Any change in the specification other than above mentioned specification for ALL-IN-ONE will be charged extra. * Price : Ex Works Noida.

* Taxes : Extra as applicable * Transportation :- Extra as applicable * Warranty :- 2 years for complete system against manufacturing defect only, Additional warranty will be charged extra.



GENERAL CONDITIONS OF BUSINESS

- Prices are in Indian ₹ (Inclusive of GST)
- All prices are subject to Havells general terms & conditions of business.
- Warranty void for LED fixtures including drivers, if individual points of installations are not provided with proper earthing.
- Orders should be placed in case lot multiples & against the confirmed purchase order only.
- Continuous design improvement is a routine practice at Havells. Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.

HSN Code	Products Included	GST Applicable
9405	LED Fixtures and LED Drivers	12%
9405*	Conventional Fixtures	18%
8504	Ballast (Electronic, HID)/ Ignitors	18%
8543	Solar Street Lights/Mini Mast	5%
7308	Galvanized products	18%
8504*	Rest	18%
8539	Non-LED Lamps	18%

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, however current details should therefore be checked with Havells. Specifications and performance data are constantly changing. Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

REGIONAL & BRANCH OFFICES:

NORTH - REGIONAL OFFICE: Corporate Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, **Delhi:** Tel: 011-47676700, 23888200, **Chandigarh:** Tel: 0172-4232400-401, **Dehradun:** Tel: 0135-6670202, **Noida / Haryana:** Tel: 0120-3331000, **Ludhiana:** Tel: 0161-4676000 / 24, **Jammu:** Tel: 0191-2478330, 2479330, **Sri Nagar:** Tel: 0194-2490431, **Jaipur:** Tel: 0141-3914645, 3988210 **Jodhpur:** Tel: 0291-9214201640 / 45, **Lucknow:** Tel: 0522-6672100, **Kanpur:** Tel: 0512-6710400, 6710409

EAST - REGIONAL OFFICE: Kolkata: ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851 / 52, **Bhubaneshwar:** Tel: 0674-6668101/102/103/104, **Guwahati:** Tel: 0361-2134521, 2458923, 2460355, **Siliguri:** Tel: 0353-2525907, **Ranchi:** 0651-2244861, 2244862, 2244864, 2244868, 2244869, **Jamshedpur:** Tel: 0657-6542492, 09234369436, **Patna:** Tel: 0612-2207221, 2207222, 2207223, 2655518

WEST - REGIONAL OFFICE: Mumbai: 1271, Solitaire Corporate Park, Bldg. No. 12, 7th Floor, Andheri - Ghatkopar Link Road, Chakala, Andheri (East), Mumbai- 400093. Ph.: 022 - 67298600-602, **Ahmedabad:** Tel: 079-40061111, 40060738-740, **Indore:** Tel: 0731-2572340-41, 4009998 (Airtel), **Rajkot:** Tel: 0281-2481112, 2921212, **Nagpur:** Tel: 0712-2240932, 2242692, 2242699 **Pune:** Tel: 020-64016413 / 14, **Raipur:** Tel: 0771-4243400 / 01, **Surat:** Tel: 0261-2350137, 9979890137, **Jabalpur:** Tel: 0761-4064491

SOUTH - REGIONAL OFFICE: Chennai: Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshmiipathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605, **Bangalore:** Tel: 080-49075000, **Coimbatore:** Tel: 0422-4550200, 2305199, 2306199, **Hyderabad:** Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, **Kochi:** Tel: 0484-4099000, **Vizag:** Tel: 0891-6514339, **Vijayawada:** Tel: +91-9247058847/57, **Calicut:** 0495-4019194, **Madurai:** 0452-4267022, **Trivandrum:** 0471-4015323, **Hubli:** 09448146028, **Trichy:** 09944460160

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Bhopal

Scan the QR Code
to download
Havells mCatalogue



Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000,
E-mail: marketing@havells.com, www.havells.com
Consumer Care No.: 1800 11 0303, 1800 103 1313 (All Connections), 011-4166 0303 (Landline)
Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!
CIN - L31900DL1983PLC016304.

